

Date: 28/02/2025

Object: Telemecanique_Sensors_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Marilidia CLOTTEAU
Sustainability & Product Management Director
Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial Reference(s)	Description	SCIP ID
XCSA701	limit switch for safety application XCSA operating key 2 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA702	limit switch for safety application XCSA operating key 2 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB702	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA703	limit switch for safety application XCSA operating key 2 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA501	limit switch for safety application XCSA operating key 1 NC and 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA801	limit switch for safety application XCSA operating key 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA502	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA802	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB703	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB701	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA702EX	METAL LIMIT SWITCH NO LOC EX D	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA503	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB503	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA803	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB502	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB501	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSA502EX	METAL LIMIT SWITCH NO LOC EX D	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB803	limit switch for safety application XCSB operating key 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB702EX	MET.LIMIT.SWITCH MANU LOC EX D	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB802	limit switch for safety application XCSB operating key 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB502EX	MET.LIMIT.SWITCH MANU LOC EX D	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSB801	limit switch for safety application XCSB operating key 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSC701	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 2 NC AND 1 NO	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC702	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 2 NC AND 1 NO	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC502	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 1 NC AND 2 NO	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC702EX	MET.LIMIT.SWITCH MANU LOC EX D	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC501	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 1 NC AND 2 NO	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC703	limit switch for safety application XCSC operating key 2 NC and 1 NO	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC801	limit switch for safety application XCSC operating key 3 NC	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC802	limit switch for safety application XCSC operating key 3 NC	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC503	limit switch for safety application XCSC operating key 1 NC and 2 NO	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC502EX	MET.LIMIT.SWITCH MANU LOC EX D	f6403daf-846c-4280-b64e-3acde1b3e43d
XCSC513	limit switch for safety application XCSC operating key 1 NC and 2 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSC712	limit switch for safety application XCSC operating key 2 NC and 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSC522	limit switch for safety application XCSC operating key 1 NC and 2 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA711	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA713	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA512	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSB713	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA712	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSB723	limit switch for safety application XCSB operating key 2 NC and 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA523	limit switch for safety application XCSA operating key 1 NC and 2 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA511	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA721	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA723	limit switch for safety application XCSA operating key 2 NC and 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSB711	limit switch for safety application XCSB operating key 2 NC and 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA522	limit switch for safety application XCSA operating key 1 NC and 2 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSB712	limit switch for safety application XCSB operating key 2 NC and 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
XCSA722	limit switch for safety application XCSA operating key 2 NC and 1 NO	807a0e2d-8329-4710-b9d2-9c45c2c71f07	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SVHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France