

Date: 28/02/2025

Object: Telemecanique\_Sensors\_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Marilidia CLOTTEAU  
Sustainability & Product Management Director  
Telemecanique Sensors PBU  
YAGEO Group

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial Reference(s)	Description	SCIP ID
XCSE7311	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5311	limit switch for safety application XCSE operating key 1 NC and 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5312	limit switch for safety application XCSE operating key 1 NC and 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5511	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE73117	METAL LIMIT SWITCH MAGNET	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7312	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE73127	METAL LIMIT SWITCH MAGNET	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7313	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7331	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7342	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7412	SAFETY INTERLOCKING SWITCH M20	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7511	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7512	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7513	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE8311	limit switch for safety application XCSE operating key 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE8312	limit switch for safety application XCSE operating key 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5313	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5321	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5322	limit switch for safety application XCSE operating key 1 NC and 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5331	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5332	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5333	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5341	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5342	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5512	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5513	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5531	limit switch for safety application XCSE operating key 1 NC and 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5532	limit switch for safety application XCSE operating key 1 NC and 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5533	limit switch for safety application XCSE operating key 1 NC and 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE5541	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 1 NC AND 2 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE73137	METAL LIMIT SWITCH MAGNET	59bb8785-7b26-46df-81e5-d89c7fd5f11e
XCSE7321	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
N° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSE7322	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7332	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7333	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7341	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7411	LIMIT SWITCH	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE741214	LIMIT SWITCH	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7531	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7532	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7533	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7541	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 2 NC AND 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7542	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE7543	limit switch for safety application XCSE operating key 2 NC and 1 NO	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE83117	METAL LIMIT SWITCH MAGNET	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE83127	METAL LIMIT SWITCH MAGNET	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8313	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8331	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8333	limit switch for safety application XCSE operating key 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8341	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8511	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8512	LIMIT SWITCH FOR SAFETY APPLICATION XCSE OPERATING KEY 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8513	limit switch for safety application XCSE operating key 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8541	limit switch for safety application XCSE operating key 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE1656092	METAL LIMIT SWITCH W MAGN	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
XCSE8321	limit switch for safety application XCSE operating key 3 NC	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

Commercial Reference(s)	Description	SCIP ID	
XCSE731121	METAL LIMIT SWITCH W MAGN KEY 520	59bb8785-7b26-46df-81e5-d89c7fd5f11e	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol(Cresol)	119-47-1	204-327-1	None

#### TMSS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France