

Date: 28/02/2025

Object: Telemecanique_Sensors_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Marilidia CLOTTEAU
Sustainability & Product Management Director
Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial Reference(s)	Description	SCIP ID
XCSPA591	limit switch for safety application XCSPA operating key 1 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA791	limit switch for safety application XCSPA operating key 2 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA592	limit switch for safety application XCSPA operating key 1 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA593	limit switch for safety application XCSPA operating key 1 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA792	limit switch for safety application XCSPA operating key 2 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA791	limit switch for safety application XCSTA operating key 2 NC and 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA793	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 2 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA992	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA492	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA292	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA792	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 2 NC AND 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTR752	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 2 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA991	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTR852	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA793	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 2 NC AND 1 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA891	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA591	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA892	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA592	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA691	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 1 NO AND 1 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA692	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 1 NO AND 1 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTA893	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA192	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA491	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSP1981	SAFE SWITCH WITH ELBO LEVER	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPR952	SAFETY HINGE SWITCH L = 30 MM	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA892	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTR853	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPR951	SAFETY HINGE SWITCH L = 30 MM	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA891	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA291	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA191	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSPA693	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 1 NO AND 1 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTR751	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 2 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSP1962	SAFE SWITCH WITH STRA LEVER	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a
XCSTR551	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 1 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSTR851	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTA593	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 1 NC AND 2 NO	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTR552	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 1 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPA893	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTR753	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 2 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPA391	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPL862	SAFE SWITCH WITH STRA LEVER	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTR562	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 80 MM 1 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPA493	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPR851	SAFETY HINGE SWITCH L = 30 MM	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPA591L001	IDP SAF KEY 83 893 001	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPA791L001	IDP SAF KEY 83 893 010	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSPA993	PLAST SAFE SWITCH NO LOC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTR553	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 1 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTR762	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 80 MM 2 NC AND	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
XCSTR862	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 80 MM 3 NC	ad71f9d2-7746-48bd-bc4b-c2dd6b5b9e3a	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SVHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

Commercial Reference(s)	Description	SCIP ID
XCSPR752	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 2 NC	-
XCSPL561	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-
XCSPL751	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-
XCSPR751	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 2 NC	-
XCSPR551	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 1 NC AND	-
XCSPL762	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-
XCSPL772	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-
XCSPL562	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-
XCSPL563	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-
XCSPL752	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-
XCSPR753	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 2 NC	-
XCSPL581	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-
XCSPR552	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 1 NC AND	-
XCSPL761	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-
XCSPL582	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSPL572	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL781	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL552	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL571	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL791	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPR562	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL782	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL551	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL593	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL553	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL771	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL591	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL592	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPR762	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL792	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL1587872	SAFETY SWITCH WITH LEVEL	-	
XCSPL583	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPR561	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL773	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL763	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPR553	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPR761	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPR763	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL573	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	-	
XCSPL753	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL783	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
XCSPL793	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	-	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SVHC Content	CAS Number	EC Number	Specific Safe Condition of Use
None	None	None	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France