

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XS8D1A1PAM12	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAP01M12	INDUCTIVE SENSOR FLAT FORME 12V 24 V DC PNP NO 3 WIRES FLUSH PUR CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PAL2	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PAM8	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8C1A1PAM8	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8C1A1PAL01M12	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8C1A1MAL01U20	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM PRECABLED AND 20UNF CONNEX	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9E111A2L2	INDUCTIVE SENSOR XS9 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL01M12	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAM8	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAM8TF	INDUCTIVE SENSOR FLAT FORME 12 24VDC PNP NO 3WIRES FLUSH SN 10MM M8 CONNEX TF	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8E1A1PAM8	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8E1A1MAT025F3	INDUCTIVE SENSOR XS8 FORME FLAT NO SN15 23CM RAILWAY CABLE HYPERTAC CON BRACKET	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8D1A1MAU20	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1NAL2	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PBL4SBQ	NAEHERUNGSSCH IND FE NC PNP 3L 4M MEDIKA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7D1A3CAM12DIN	DDPI FORMD SN 50MM NO OPT FLUSH	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8D1A1PAM12DIN	INDUCTIVE SENSOR XS8 FORM DIN D FLAT SN 60 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8D1A1PBM12	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9E111A1L01M12	INDUCTIVE SENSOR XS9 FORM E FLAT SN 10 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9E111A1L2	INDUCTIVE SENSOR XS9 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9E111A2L5	DDPI ANALOG FORME SN=10MM ANALOG 10-36VDC 4-20MA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8D1A1MAU20DIN	INDUCTIVE SENSOR XS8 FORM DIN D FLAT SN 60 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8D1A1MBU20	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9E11RPBL01M12	INDUCTIVE SENSOR XS9 FORME FLAT SN 10 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9E11RMBL01U20	INDUCTIVE SENSOR XS9 FORM E FLAT SN 10 MM PRECABLED AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1DAL10	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1DAL2	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1DAL5	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS7C1A1DAM8	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1DBL01M12	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1NBL2	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1NBM8	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1NAL2SER	INDUCTIVE SENSOR FLAT FORME 12 24VDC NPN NO 3W FLUSH 0,48M CAB MOLEX FEMALE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PAL01M12	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PAL5	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PBL2	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PBL5	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7C1A1PBM8	INDUCTIVE SENSOR XS7 FORM C FLAT SN 15 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7D1A1DAM12	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7D1A1PAM12	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7D1A1PBM12	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1CAL01M12	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1DAL01M12	INDUCTIVE SENSOR XS7 FORME FLAT SN 10 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1DAL2	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1NBL2	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1NBLM12TF	INDUCTIVE SENSOR COLD FORM E FLAT SN10MM PRECABLED 10CM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SD3	INDUCTIVE SENSOR FLAT FORME 12 24VDC PNP NO 3WIRES FLUSH CABLE 1,63M C MOLEX	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDR	INDUCTIVE SENSOR FLAT FORME 12 24VDC PNP NO 3W FLUSH 1,98M CABLE MOLEX CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDU	INDUCTIVE SENSOR FLAT FORME 12 24VDC PNP NO 3W FLUSH 0,08M CAB MOLEX CON MALE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDV	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,24M CAB MOLEX CON MALE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDW	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,30M CAB MOLEX CON FEMA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDX	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,53M CAB MOLEX CON FEMA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDY	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,37M CAB MOLEX CON FEMA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SDZ	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,40M CAB MOLEX CON FEMA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SE1	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,08M CAB MOLEX CON FEMA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SEP	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,16M CAB MOLEX FEMALE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL2SET	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,65M CAB MOLEX FEMALE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL3SBQ	PROXIMITY SENSORS IND FE NO PNP 3L 3M MEDIKAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PAL5	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PBL01M12	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS7E1A1PBL2	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PBL2SES	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NC 3W FLUSH 1,57M CAB MOLEX FEMALE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PBM8	INDUCTIVE SENSOR XS7 FORM E FLAT SN 10 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS7E1A1PBP01M12	INDUCTIVE SENSOR FLAT FORM E 12V 24 V DC PNP NC 3 WIRES FLUSH PUR CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9C11RMBL01U20	INDUCTIVE SENSOR XS9 FORM C FLAT SN 15 MM PRECABLED AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8C1A1PBM8	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8E1A1PBM8	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8C1A1NAL01M12	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8E1A1PAL01M12	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8C1A1MBL01U20	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM PRECABLED AND 20UNF CONNEX	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS8E1A1MAL01U20	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM PRECABLED AND 20UNF CONNEX	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS9C111A2L2	INDUCTIVE SENSOR XS9 FORM C FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I; III-34
XS9C111A1L2SEW	INDUCTIVE SENSOR XS9 SHAPE C FLAT SN 15 MM SHIELDED FLEX CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I; III-34
XS9D111A2M12	INDUCTIVE SENSOR XS9 FORM D FLAT SN 40 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I; III-34
XS9C111A1L2	INDUCTIVE SENSOR XS9 FORM C FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I; III-34
XS8D1A1MAL2	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1PAL2	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1PBL10	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8E1A1PAL2	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1MBL2	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1MAL2	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1PBL2	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1MBL2	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1NAL2	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1PAL10	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1PAL2	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1PAL5	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1PBL2	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1NAL2	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1PAL10	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1PAL5	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8E1A1NAL2	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS8E1A1NBL2	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8E1A1PAL10	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8E1A1PBL2	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1MAL10	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8C1A1MBL5	INDUCTIVE SENSOR XS8 FORM C FLAT SN 25 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1MAL10	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1MAL5	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1MBL10	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8D1A1MBL5	INDUCTIVE SENSOR XS8 FORM D FLAT SN 60 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8E1A1MAL2	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS8E1A1MBL2	INDUCTIVE SENSOR XS8 FORM E FLAT SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1DAL2	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1NAL2	INDUCTIVE SENSOR S7 FORM D FLAT SN 40 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1PAL2	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1PAL5	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1PBL10	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1DAL5	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS7D1A1DBL2	INDUCTIVE SENSOR XS7 FORM D FLAT SN 40 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS9D111A2L10	DDPI ANALOG FORMD SN=40MM ANALOG 10-36VDC 4-20MA	RoHS compliant with exemptions	III-7(a); III-7(c)-I; III-34
XS9D111A2L2	INDUCTIVE SENSOR XS9 FORM D FLAT SN 40 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I; III-34

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France