

Date: 16/05/2025

Object: Telemecanique\_Sensors\_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON  
Head of Telemecanique Sensors PBU  
YAGEO Group

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XUB0BPSNM12	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB0BPSNL2	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPANM12	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPANM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BKSNM12T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPANM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB0BNSNM12	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB0BPSNL5	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB0BNSNL2	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BKSNL2T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPANL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BNANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPANL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPANL5	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPANL5	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB0BKSNL2T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBPCNL2	PHOTO SENSOR CYLIN METAL LASER THRU BEAM 12 24V DC PNP NONC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPANL5	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BNANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBPCNL2R	RECEIVER CYLINDRIC METAL LASER THRU BEAM 12 24V DC PNP CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBKCNL2T	TRANSMITTOR CYLIND METAL LASER THRU BEAM 12 24V DC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BNANL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BKSNL2T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BNANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPANL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BNANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB2BPBWL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BNAWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BNAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BNBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPBWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BNAWL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BNBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BNBNL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPBNL5	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPBWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPBWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BNBNL2	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NC CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPAWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPBWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB0BKSNM12T	PHOTOELECTRIC SENSOR XUB THRU BEAM SN 15 M M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBPCNM12	PHOTO SENSOR CYLIND METAL LASER THRU BEAM 12 24V DC PNP NONC CONNECT M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPBNM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BPBNM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPBWM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPBNM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BNANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BKSWM12T	PHOTOELECTRIC SENSOR XUB THRU BEAM SN 15 M M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BNANM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BPAWM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BNBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBKCNM12T	TRANSMITTER CYLIND METAL LASER THRU BEAM 12 24V DC CONNECT M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BPBWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BNAWM12	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB2BNANM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BNBNM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BNANM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBPCNM12R	RECEIVER CYLINDRIC METAL LASER THRU BEAM 12 24V DC PNP CONNECT M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB9BNBNM12	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BNANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUBLBNCNM12	PHOTO SENSOR CYLIND METAL LASER THRU BEAM 12 24V DC NPN NONC CONNECT M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB2BNBNM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPBWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BNAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BPBWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5BPANP5	PHOTOELECTRIC SENSOR CYLINDRICAL M18 ADJUST PROX 12 24V DC 3W PNP NO 5M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB4BNAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB1BNAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XUB5APANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0APSNL2	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0APSNM12	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2AKSNL2T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APANM12	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APANM12	PHOTOELECTRIC SENSOR REFLEX SN 4M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APANL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APANL2R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APBNL2R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBT1PSNM12	PHOTO SENSOR CYL PLAST MAT TRANS OEM 12 24 V DC PNP NONC CONNECT M12	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0SPSNM12	PHOTOELECTRIC SENSOR CYLINDRICAL M18 OSICONCEPT 12 24V DC 3WIRES PNP	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0SPSNL2	PHOTOELECTRIC SENSOR CYLINDRICAL M18 OSICONCEPT 12 24V DC 3WIRES PNP	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0ANSNL2	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0SNSNL2	PHOTOELECTRIC SENSOR CYLINDRICAL M18 OSICONCEPT 12 24V DC 3WIRES NPN	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0ANSNM12	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBNM12	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0SKSNL2T	PHOTOELECTRIC SENSOR CYLINDRICAL M18 THRUBEAM TRANSMIT 12 24V DC 2M C	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBNL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APANL5	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBNL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0AKSNL2T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBNL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBTAPSNL2	PHOTO SENSOR CYL PLAST MAT TRANS 12 24 V DC PNP NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANANL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APANL5	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APANL5	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBNL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB1ANBNL2	PHOTOELECTRIC SENSOR REFLEX SN 4M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANANL5R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANAWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBLAPCNL2	PHOTO SENSOR CYLIN PLAST LASER THRU BEAM 12 24V DC PNP NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANBNL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANANL2	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2AKSNL5T	PHOTOELECTRIC SENSOR XUB THRU BEAM SN 15 M CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APAWL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2AKSWL2T	PHOTOELECTRIC SENSOR XUB THRU BEAM SN 15 M CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBTAPSWL2	PHOTO SENSOR CYL PLAST MAT TRANS 12 24 V LATER DC PNP NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APANL5R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBTANSNL2	PHOTO SENSOR CYL PLAST MAT TRANS 12 24 V DC NPN NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APAWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBWL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBLANCNL2	PHOTO SENSOR CYLIN PLAST LASER THRU BEAM 12 24V DC NPN NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APAWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBWL2	PHOTOELECTRIC SENSOR REFLEX SN 4M NC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANBNL8	PHOTOELECTRIC SENSOR CYLINDRICAL M18 REFLEX 12 24V DC 3WIRES NPN NC 8	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANAWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANAWL2R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANBWL2R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBWL2R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANAWL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBWL2R1	DDPP M18 REFL POLARISE=2M POLARISE NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANANL2R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANBNL2R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APANL2R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APAWL2R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBNL2R1	DPP M18 REFLEX=4M PNP NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBWL2R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANANL2R1	DDPP M18 BARRAGE NPN NO RECEPTEUR NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANANL2R1	DDPP M18 BARRAGE NPN NO RECEPTEUR NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANBNL2R1	DDPP M18 BARRAGE NPN NC RECEPTEUR NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANBWL2R1	DDPP M18 BARRAGE NPN NC RECEPTEUR NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APANL2R1	DDPP M18 BARRAGE PNP NO RECEPTEUR NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APAWL2R1	DDPP M18 BARRAGE PNP NO RECEPTEUR NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBNL2R1	DDPP M18 BARRAGE PNP NC RECEPTEUR NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBWL2R1	DDPP M18 BARRAGE PNP NC RECEPTEUR NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANANL2R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANAWL2R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANBNL2R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANBWL2R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APAWL2R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I

**TMSS France and its affiliates**

Postal address / Adresse postale :  
 Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
 Société par actions simplifiée au capital de 366 931 214 euros  
 908 125 255 RCS Nanterre – code APE : 2640Z  
 Siret : 90812525500012  
 n° ident. TVA : FR 21 908 125 255  
 Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB4APBWL2R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANANL2R1	DDPP M18 PROX=0.6M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANBNL2R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANBWL2R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APANL2R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APAWL2R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBNL2R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANANL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBNL2R1	DDPP M18 REFL POLARISE=2M POLARISE NC	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APANL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APAWL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBNL2R1	DDPP M18 REFL POLARISE=2M POLARISE NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBTSPNSL2	PHOTO SENSOR CYL METAL MAT TRANS 12 24 V DC NPN NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUBTSPNSL2	PHOTO SENSOR CYL METAL MAT TRANS 12 24 V DC PNP NONC CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APANM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2AKSNM12T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANANM12	PHOTOELECTRIC SENSOR POLARIZED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APAWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBNM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0AKSNM12T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBNM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APAWM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2AKSWM12T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBWM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANBNM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANBNM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANANM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANANM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANBWM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I

**TMSS France and its affiliates**

Postal address / Adresse postale :  
 Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
 Société par actions simplifiée au capital de 366 931 214 euros  
 908 125 255 RCS Nanterre – code APE : 2640Z  
 Siret : 90812525500012  
 n° ident. TVA : FR 21 908 125 255  
 Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB1ANBWM12	PHOTOELECTRIC SENSOR REFLEX SN 4M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBNM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANAWM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANAWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB0SKSNM12T	PHOTOELECTRIC SENSOR CYLINDRICAL M18 THRU BEAM TRANSMIT 12 24V DC M12	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANANM12R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANAWM12R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANBWM12R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBWM12R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANBNM12R1	DDPP M18 BARRAGE NPN NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBWM12R1	DDPP M18 BARRAGE PNP NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANAWM12R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANBWM12R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APAWM12R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APBWM12R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANAWM12R1	DDPP M18 PROX=0.6M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANBNM12R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANBWM12R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBWM12R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANAWM12R1	DDPP M18 REFL POLARISE=2M POLARISE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBWM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1ANBNM12R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APANM12R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APAWM12R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB1APBNM12R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2ANANM12R1	DDPP M18 BARRAGE NPN NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APANM12R1	DDPP M18 BARRAGE PNP NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APAWM12R1	DDPP M18 BARRAGE PNP NO R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB2APBNM12R1	DDPP M18 BARRAGE PNP NC R1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANANM12R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4ANBNM12R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APANM12R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB4APBNM12R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANANM12R1	DDPP M18 PROX=0.6M NPN NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5ANAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APANM12R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APAWM12R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB5APBNM12R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANANM12R1	DDPP M18 REFL POLARISE=2M POLARISE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBNM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9ANBWM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APANM12R1	DDPP M18 REFL POLARISE=2M POLARISE NOR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XUB9APBNM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCR1	RoHS compliant with exemptions	III-7(a); III-7(c)-I

**TMS France and its affiliates**

Postal address / Adresse postale :  
 Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
 Société par actions simplifiée au capital de 366 931 214 euros  
 908 125 255 RCS Nanterre – code APE : 2640Z  
 Siret : 90812525500012  
 n° ident. TVA : FR 21 908 125 255  
 Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France