

Date: 16/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

| Commercial Reference | Description | Directive 2011/65/EU (10 Substances) Compliance Status | Exemptions according to Annex III, IV |
|----------------------|--|--|---------------------------------------|
| ZC2JY31 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JC2H29 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a) |
| ZC2JC4H2 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a) |
| ZC2JC4H29 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a) |
| ZC2JY11H2 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE61 | LIMIT SWITCH HEAD | RoHS compliant with exemptions | III-6(a) |
| ZC2JE62 | LIMIT SWITCH HEAD | RoHS compliant with exemptions | III-6(a) |
| ZC2JE623 | LIMIT SWITCH HEAD | RoHS compliant with exemptions | III-6(a) |
| ZC2JE626 | HEAD FOR LIMIT SWITCH ZC2J ROLLER PLUNGER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE66 | HEAD FOR LIMIT SWITCH ZC2J BALL END PLUNGER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE83 | HEAD FOR LIMIT SWITCH ZC2J STEEL SIDE PLUNGER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE84 | HEAD FOR LIMIT SWITCH ZC2J SIDE PLUNGER WITH HORIZONTAL ROLLER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE85 | LIMIT SWITCH HEAD | RoHS compliant with exemptions | III-6(a) |
| ZC2JY23 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY315 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY31H2 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY32 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY33 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY41 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY415 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY43 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE81 | HEAD FOR LIMIT SWITCH ZC2J STEEL END PLUNGER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY61 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY71 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY715 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY81 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY815 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY91 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY915 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY11 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY115 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY12 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY13 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY21 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY41H2 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JY71H2 | LIMIT SWITCH LEVER | RoHS compliant with exemptions | III-6(a) |
| ZC2JC2H2 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a) |
| ZC2JE62H2 | LIMIT SWITCH HEAD | RoHS compliant with exemptions | III-6(a) |
| ZC2JC2H5 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a) |
| ZC2JC4H5 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a) |
| ZC2JE836 | HEAD FOR LIMIT SWITCH ZC2J STEEL SIDE PLUNGER | RoHS compliant with exemptions | III-6(a) |
| ZC2JE615 | HEAD FOR LIMIT SWITCH ZC2J STEEL END PLUNGER | RoHS compliant with exemptions | III-6(a) |
| ZC2JC15 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(c) |
| ZC2JC16 | LIMIT SWITCH BODY ZC2J 40 °C 1 OC TERMINALS | RoHS compliant with exemptions | III-6(c) |
| ZC2JC25 | LIMIT SWITCH BODY ZC2J 120 °C 2 OC TERMINALS | RoHS compliant with exemptions | III-6(c) |
| ZC2JD19 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(c) |
| ZC2JD29 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(c) |
| ZC2JE015 | LIMIT SWITCH HEAD | RoHS compliant with exemptions | III-6(c) |
| ZC2JE025 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant with exemptions | III-6(c) |
| ZC2JE035 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant with exemptions | III-6(c) |
| ZC2JE095 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant with exemptions | III-6(c) |
| ZC2JC1 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC2 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC4 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC13 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC18 | LIMIT SWITCH BODY ZC2J 1 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC1H2 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

| | | | |
|------------|--|----------------------------------|--------------------|
| ZC2JC1H29 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC1H5 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC23 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC26 | LIMIT SWITCH BODY ZC2J 40 °C 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC28 | LIMIT SWITCH BODY ZC2J 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC43 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC45 | LIMIT SWITCH BODY ZC2J 120 °C 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC46 | LIMIT SWITCH BODY ZC2J 40 °C 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JC48 | LIMIT SWITCH BODY ZC2J 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD1 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD16 | LIMIT SWITCH BODY ZC2J 40 °C 1 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD18 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD1H2 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD1H29 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD2 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD26 | LIMIT SWITCH BODY ZC2J 40 °C 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD28 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD2H29 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD4 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD46 | LIMIT SWITCH BODY ZC2J 40 °C 2 OC TERMINALS | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JD48 | LIMIT SWITCH BODY | RoHS compliant with exemptions | III-6(a); III-6(c) |
| ZC2JE645 | HEAD FOR LIMIT SWITCH ZC2J SIDE PLUNGER WITH HORIZONTAL ROLLER | RoHS compliant without exemption | None |
| ZC2JE655 | HEAD FOR LIMIT SWITCH ZC2J SIDE PLUNGER WITH VERTICAL ROLLER | RoHS compliant without exemption | None |
| ZC2JE705 | HEAD FOR LIMIT SWITCH ZC2J CAT SWHISKER | RoHS compliant without exemption | None |
| ZC2JE01 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE05H2 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE013 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE016 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE01H2 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE02 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE026 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE03 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE04 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE045 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE046 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE05 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE053 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE056 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE06 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE07 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE076 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE09 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE096 | HEAD FOR LIMIT SWITCH ZC2J WITHOUT OPERATING LEVER | RoHS compliant without exemption | None |
| ZC2JE09H5 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE63 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE635 | HEAD FOR LIMIT SWITCH ZC2J STEEL SIDE PLUNGER | RoHS compliant without exemption | None |
| ZC2JE636 | HEAD FOR LIMIT SWITCH ZC2J STEEL SIDE PLUNGER | RoHS compliant without exemption | None |
| ZC2JE64 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE646 | HEAD FOR LIMIT SWITCH ZC2J SIDE PLUNGER WITH HORIZONTAL ROLLER | RoHS compliant without exemption | None |
| ZC2JE65 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE653 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE656 | HEAD FOR LIMIT SWITCH ZC2J SIDE PLUNGER WITH VERTICAL ROLLER | RoHS compliant without exemption | None |
| ZC2JE665 | HEAD FOR LIMIT SWITCH ZC2J BALL END PLUNGER | RoHS compliant without exemption | None |
| ZC2JE70 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE706 | HEAD FOR LIMIT SWITCH ZC2J CAT SWHISKER | RoHS compliant without exemption | None |
| ZC2JE82 | HEAD FOR LIMIT SWITCH ZC2J ROLLER PLUNGER | RoHS compliant without exemption | None |
| ZC2JY51 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JY513 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JY51H49 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JY52 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JY313 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JY615 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JY713 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |

TMSS France and its affiliates

Postal address / Adresse postale :
 Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
 Société par actions simplifiée au capital de 366 931 214 euros
 908 125 255 RCS Nanterre – code APE : 2640Z
 Siret : 90812525500012
 n° ident. TVA : FR 21 908 125 255
 Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

| | | | |
|-----------|--------------------|----------------------------------|------|
| ZC2JY009 | LIMIT SWITCH LEVER | RoHS compliant without exemption | None |
| ZC2JE70H2 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE04H5 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE01H5 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE04H2 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |
| ZC2JE09H2 | LIMIT SWITCH HEAD | RoHS compliant without exemption | None |

TMS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France