

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XCKD2102P16	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2110P16	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2510P16	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2110M12	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2110G11	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2110N12	LIMIT SWITCH 240VAC 10A METAL XCKD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2102N12	LIMIT SWITCH XCKD ROLLER PLUNGER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2106N12	LIMIT SWITCH XCKD CAT S WHISKER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2121N12	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCKD, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, 1/2NPT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2102P20	LIMIT SWITCH - 240 VAC - 10 A - METAL XCKD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2106P16	LIMIT SWITCH XCKD CAT S WHISKER 1NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2111P16	LIMIT SWITCH XCKD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2121P16	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCKD, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2127P16	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2128P16	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD21H0P16	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD21H2P16	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2502P16	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2506P16	LIMIT SWITCH XCKD CAT S WHISKER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2511P16	LIMIT SWITCH XCKD BOOTED END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2521P16	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCKD, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SLOW, M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2527P16	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NO AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2528P16	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD25H2P16	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD3121P16	LIMIT SWITCH PLAST 2NO NC SNAP ACT ROLLER LEVER PLUNGER H CONN PE16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2102M12	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2106M12	LIMIT SWITCH XCKD CAT S WHISKER 1NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2111M12	LIMIT SWITCH XCKD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2121M12	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2127M12	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2128M12	LS METAL 1NC1NO SA M12 1ACTUA VERT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD21H2M12	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2102G11	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2106G11	LIMIT SWITCH XCKD CAT S WHISKER 1NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2111G11	LIMIT SWITCH XCKD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2121G11	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2127G11	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2128G11	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD21H0G11	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD21H2G11	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2502G11	LIMIT SWITCH XCKD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCKD2521G11	LIMIT SWITCH XCKD ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD25H0G11	LIMIT SWITCH XCKD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD6802G11	METAL LIMIT SWITCH 2NO GOLD CONTACTS ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2128N12	LMT SWITCH 240VAC 3A METAL XCKD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD21H0N12	LIMIT SWITCH 240VAC 10A METAL XCKD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD3127P16	LIMIT SWITCH METAL 1NC 2 NO ROLLER LEVER PLUNGER VERT PLAST	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2102P16SFH	LIMIT SWITCH METALIC NO NC LEVER PLUNGER CRIMPING CONTACT BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2810N12	LIMIT SWITCH METAL NO AND NO	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCD21SFH	LIMIT SWITCH BODY ZCD NC NO FOR ROUND TERMINAL RIVETED ON THE BODY	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCD39SFH	LIMIT SWITCH BODY ZCD 2NC NO FOR ROUND TERMINAL RIVETED ON THE BODY	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD69026G13	LIMIT SWITCH METAL 2NC SNAP GOLD ROLLER LEVER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD252AG11	LS STEEL ROLER PLUNGER GREY SILICON BOOT 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD251AG11S21	LIMIT SWITCH METAL NO AND NC METAL END P	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2149M12	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2139G11	LIMIT SWITCH XCKD ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2149G11	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2118P16SFH	LIMIT SWITCH METALIC NO NC ROLLER LEVER CRIMPING CONTACT BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2119P16	LIMIT SWITCH XCKD STEEL ROLLER LEVER 1NC 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2139P16	LIMIT SWITCH XCKD ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2146P16	LIMIT SWITCH XCKD ADJUST ROLLER LEVER 1NC 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2149P16	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2539P16	LIMIT SWITCH XCKD ROLLER LEVER AND 50 MM 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3902P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3702G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3702N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3702P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3710G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3710N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3710P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3902G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3902N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3902P20F0	SAFETY LIMIT SWITCH XCSD 1NO/2NC HEAD 90 DEG ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3910G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3910N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3910P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3902M12F0	SAFETY LIMIT SWITCH XCSD 1NO/2NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3902M12SI3	SAFETY LIMIT SWITCH XCSD 1NO/1NC ROLLER PLUNGER HEAD POS F0	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCS3911N12	SAFETY LIMIT SWITCH METAL 2NC AND NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKD2145P16	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2118P16	LIMIT SWITCH XCKD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD6118G11	LIMIT SWITCH XCKD ROLLER LEVER 1 NC AND 1 NO GOLD CONTACTS	RoHS compliant with exemptions	III-6(c)
XCKD2118G11	LIMIT SWITCH XCKD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2145G11	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2115M12SAQ	LIMIT SWITCH XCKD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2118M1202TQ	LIMIT SWITCH METAL NO AND NC AND PLASTIC ROLLER LEVER CON M12	RoHS compliant with exemptions	III-6(c)
XCKD2818N12SGQ	LIMIT SWITCH METAL NO NO 9DEG NON SIMULT	RoHS compliant with exemptions	III-6(c)
XCKD2118G11RF	LIMIT SWITCH XCKD - THERMOPLASTIC ROLLER LEVER - 1NC+1NO - 240 V - 10 A	RoHS compliant with exemptions	III-6(c)
XCKD2118M12	LIMIT SWITCH XCKD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2118M1202	BODY AND HEAD ASSEMBLED SPECIFIC CONNECTION	RoHS compliant with exemptions	III-6(c)
XCKD2125M12RR	LIMIT SWITCH METAL NO AND NC M12 CONN HEAD 270 DEG PLAST ROLL LEVER 270 DEG	RoHS compliant with exemptions	III-6(c)
XCKD2145M12	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2918G11ZR	LIMIT SWITCH XCKD - THERMOPLASTIC ROLLER LEVER - 1NC+1NO - 240 V - 10 A	RoHS compliant with exemptions	III-6(c)
XCKD6145G11FA	LIMIT SWITCH XCKD - THERMOPLASTIC ROLLER LEVER - 1NC+1NO - 240 V - 10 A	RoHS compliant with exemptions	III-6(c)
XCKD6945G11ZH	LIMIT SWITCH XCKD - THERMOPLASTIC ROLLER LEVER - 1NC+1NO - 240 V - 10 A	RoHS compliant with exemptions	III-6(c)
XCKD2101G11	LIMIT SWITCH XCKD WITHOUT OPERATING LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2518G11	LIMIT SWITCH XCKD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2545G11	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD3945G11	LIMIT SWITCH - 240 VAC - 10 A - METAL XCKD	RoHS compliant with exemptions	III-6(c)
XCS3945N12	SAFETY LIMIT SWITCH 240VAC 5A METAL BODY	RoHS compliant with exemptions	III-6(c)
XCKD39500G11	LIMIT SWITCH XCKD ROLLER LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2545N12	LIMIT SWITCH 240VAC 10A METAL XCKD	RoHS compliant with exemptions	III-6(c)
XCKD3918G11	LIMIT SWITCH 240VAC 10A METAL XCKD	RoHS compliant with exemptions	III-6(c)
XCKD39500N12	XCKD LIMIT SWITCH + OPTIONS	RoHS compliant with exemptions	III-6(c)
XCKD6818G11	METAL COMPACT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD6845G11	LMT SWITCH 240VAC 3A METAL XCKD	RoHS compliant with exemptions	III-6(c)
XCKD61500G11	LIMIT SWITCH 240VAC 10A METAL XCKD	RoHS compliant with exemptions	III-6(c)
XCKD2118N12	LIMIT SWITCH XCKD ROLLER LEVER 1NC AND 1NO	RoHS compliant with exemptions	III-6(c)
XCKD2145N12	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER 1NC AND 1NO	RoHS compliant with exemptions	III-6(c)
XCKD2101P16	LIMIT SWITCH XCKD WITHOUT OPERATING LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKD2109P16	LS METAL 1NC1NO SA ISO16 MAINTENED ROTARY HEAD	RoHS compliant with exemptions	III-6(c)
XCKD2155P16S05	LIMIT SWITCH METAL NO AND NC WITH ROTARY HEAD AND GLASS FIBRE DIA 3MM	RoHS compliant with exemptions	III-6(c)
XCKD2518P16	LIMIT SWITCH XCKD ROLLER LEVER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(c)
XCKD2545P16	LIMIT SWITCH XCKD ADJUSTABLE ROLLER LEVER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(c)
XCKD2818N12SI7	LIMIT SWITCH METAL NO NO 9DEG NON SIMULT HEAD PLAST ROLLER LEV CABLE ENT 1/2 NPT	RoHS compliant with exemptions	III-6(c)
XCKD2818N12SIA	LIMIT SWITCH METAL NO NO 9DEG NON SIMULT HEAD PLAST ROLLER LEV CABLE ENT 1/2 NPT	RoHS compliant with exemptions	III-6(c)
XCKD2153M12	LIMIT SWITCH METAL 1NC1NO SA 240V M12 STEEL ROD LEVER 125MM	RoHS compliant with exemptions	III-6(c)
XCKD2910N12	LIMIT SWITCH - 240 VAC - 10 A - METAL XCKD	RoHS compliant with exemptions	III-6(c)
ZCD21M12	METAL BODY M12 1NO1NC SA	RoHS compliant with exemptions	III-6(c)
ZCD21	LIMIT SWITCH BODY ZCD 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD31	LIMIT SWITCH BODY ZCD 1 NC AND 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD39	LIMIT SWITCH BODY ZCD 2 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD29M12	METAL BODY M12 1NC1NC SA	RoHS compliant with exemptions	III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

ZCD25	LIMIT SWITCH BODY ZCD 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD26	LIMIT SWITCH BODY ZCD 1 NO AND 1 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD27	LIMIT SWITCH BODY ZCD 2 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD28	LIMIT SWITCH BODY ZCD 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD29	LIMIT SWITCH BODY ZCD 2 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD35	LIMIT SWITCH BODY ZCD 1 NC AND 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD37	LIMIT SWITCH BODY ZCD 2 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCD68	METAL BODY 1NO1NO SLWA GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCD61	METAL BODY 1NO1NC SA GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCD67	METAL BODY 1NC1NC SLWA GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCD65	METAL BODY 1NO1NC SLWA GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
XCKD3902P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3906P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3910P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3911P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3918P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3921P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3927P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3928P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3939P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3945P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD3949P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD39H0P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKD39H2P16EX	ATEX COMPACT LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
ZCDEP16	CABLE OUTPUT PART ISOM16 FOR METALLIC PRODUCT	RoHS compliant without exemption	None
ZCDEF12	CABLE OUTPUT PART PF1/2 FOR METALLIC PRODUCT	RoHS compliant without exemption	None
ZCDEG11	CABLE OUTPUT PART PG11 FOR METALLIC PRODUCT	RoHS compliant without exemption	None
ZCDEG13	CABLE OUTPUT PART PG13,5 FOR METALLIC PRODUCT	RoHS compliant without exemption	None
ZCDEN12	CABLE OUTPUT PART 1/2NPT FOR METALLIC PRODUCT	RoHS compliant without exemption	None
ZCDEP20	CABLE OUTPUT PART ISOM20 FOR METALLIC PRODUCT	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France