

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XCSM392AL2	SAFETY LIMIT SWITCH METAL NC- NC-NO STEEL ROLLER PLUNGER WITH BOOT 2M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2102L1	LIMIT SWITCH XCMD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
ZCMD21L2	LIMIT SWITCH BODY ZCMD 1NC AND 1NO CABLE 2M	RoHS compliant with exemptions	III-6(a)
XCMD2110L1	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
ZCMD21L5	LIMIT SWITCH BODY ZCMD 1NC AND 1NO CABLE 5M	RoHS compliant with exemptions	III-6(a)
XCMD2102L2SGATQ	LIMIT SWITCH MONOBLOC NC NO SA 2M CABLE WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102L2	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a)
XCMD2102L5	LS 1NO 1NC SA 5M CABLE STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2102L3	LS 1NO 1NC SA 3M CABLE STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2116L1	LIMIT SWITCH XCMD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCMD2102L03S96	METAL LS NONC CAB 30CM CON AMP SUPERSEAL WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2502L1	LIMIT SWITCH XCMD ROLLER PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a)
XCMD2103L3SGATQ	LIMIT SWITCH MONOBLOC NC NO SA 3M CABLE WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
ZCMD21L1	LIMIT SWITCH BODY ZCMD 1NC AND 1NO CABLE 1M	RoHS compliant with exemptions	III-6(a)
ZCMD2102	LIMIT SWITCH METAL NO AND NC AND STEEL ROLLER PLUNGER TO 90°	RoHS compliant with exemptions	III-6(a)
XCMD2146L15SGB	LIMIT SWITCH NC NO SA 15M CABLE ADJUST WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2110L2	LS 1NO 1NC SA 2M CABLE METAL END PLUNGER HEAD	RoHS compliant with exemptions	III-6(a)
XCMD2102L7SGATQ	LS 1NO 1NC SA 7M CABLE STEEL ROLLER WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2111L1	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCMD4102L03SD7	METAL LIMIT SWITCH 1NC 2NO CAB 30CM WITH CONNECTOR AMP SUPERSEAL 6 PI WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2110L5	LS1NON1SA5MCABLE	RoHS compliant with exemptions	III-6(a)
XCSM3902L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3902L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3902L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM4102L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSM4102L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCMD2116L17SGB	LIMIT SWITCH NC NO SA 17M CABLE PLASTIC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116L2SGATQ	LIMIT SWITCH MONOBLOC NC NO SA 2M CABLE.	RoHS compliant with exemptions	III-6(a)
XCMD2102L5SGATQ	LIMIT SWITCH MONOBLOC NC NO SA 5M CABLE WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102L3SGATQ	LIMIT SWITCH MONOBLOC NC NO SA 3M CABLE WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCSM3910L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
ZCMD2116	LIMIT SWITCH METAL NO AND NC AND STEEL ROLLER LEVER	RoHS compliant with exemptions	III-6(a)
ZCMD2116SAN	LIMIT SWITCH NO NC SPECIAL ORIENT LEVE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
ZCMD21L3	LIMIT SWITCH METAL NO AND NC BODY WITH PRECABLED CONTACTS	RoHS compliant with exemptions	III-6(a)
XCMD2116L15SBW	POSITIONSSCHALTER UNIVERSAL KABEL L15 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD21510L1	LIMIT SWITCH METAL NO AND NC AND STEEL ROLLER LEVER 1M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2116L10SBW	LIMIT SWITCH XCMD - STEEL ROLLER LEVER - 1NC+1NO - SNAP - 10 M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116L11SGB	LIMIT SWITCH NC NO SA 11M CABLE PLASTIC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116L1SGBTQ	LIMIT SWITCH WITH OPTIONS WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116L2SG9	LIMIT SWITCH METAL NO NC ROLLER LEVER 2M CABLE PUR 90°C WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116L3	1NO 1NC SA 3M CABLE STEEL ROLLER LEVER	RoHS compliant with exemptions	III-6(a)
XCMD2116L5SBW	LIMIT SWITCH XCMD - STEEL ROLLER LEVER - 1NC+1NO - SNAP - 5 M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116L5SIL	LIMIT SWITCH METAL NO NC ROLLER LEVER 5M CABLE PUR 90°C	RoHS compliant with exemptions	III-6(a)
XCMD2116L6SGB	LIMIT SWITCH NC NO SA 6M CABLE PLASTIC R	RoHS compliant with exemptions	III-6(a)
XCMD2116T1	LIMIT SWITCH METALIC NONC ROLLER LEVER 1M RAILWAY CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2116T1L0	LIMIT SWITCH METALIC NONC ROLLER LEVER 1M RAILWAY CABLE HEAD 180° TURNED WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2117L1	LIMIT SWITCH XCMD ROLLER LEVER, BALL BEARING 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCMD2146L02SEV	LIMIT SWITCH METAL NO AND NC SNAP ACTION	RoHS compliant with exemptions	III-6(a)
XCMD2516L1	LIMIT SWITCH XCMD ROLLER LEVER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a)
XCMD2146L17SGB	LIMIT SWITCH NC NO SA 17M CABLE ADJUST WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2146L25SGB	LIMIT SWITCH WITH OPTIONS WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2517L1	LIMIT SWITCH XCMD ROLLER LEVER, BALL BEARING 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a)
XCMD3926T1	LIMIT SWITCH METAL 1NO2NC STEEL ROLLER LEVER RAILWAY CABLE 1M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD6116L5SBW	MONOBLOC LIMIT SWITCH METAL NONC GOLD CT WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4102L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4110L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4111L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4124L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4102TSF1SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4102TSF2SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306	RoHS compliant with exemptions	III-6(a)
XCMD4102TSF3SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4116L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102L10	LIMIT SWITCH METAL NO AND NC AND STEEL ROLLER PLUNGER 10M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2102L12SGB	LIMIT SWITCH NC NO SA 12M CABLE STEEL WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102L1SCH	LIMIT SWITCH METAL NO AND NC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102L5S30TQ	LIMIT SWITCH METAL NO AND NC SNAP ACTION AND STEEL ROLLER PLUNGER 5M	RoHS compliant with exemptions	III-6(a)
XCMD2102L6SGB	LIMIT SWITCH NC NO SA 6M CABLE STEEL WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102L7	LS 1NO 1NC SA 7M CABLE STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2102T2	LIMIT SWITCH NONC ROLER HEAD CAB EN50306	RoHS compliant with exemptions	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD2102TQ	LIMIT SWITCH XCMD 1NC1NO ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2102TSFG	LIMIT SWITCH 1NC 1NO ROLLER PLUNGER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2103L1	LIMIT SWITCH XCM-D - 1 NO + 1NC - SPRING RETURN ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2103L4S30	LIMIT SWITCH METAL NO AND NC SNAP ACTION AND STEEL ROLLER PLUNGER TO WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2103L4SGATQ	LIMIT SWITCH WITH OPTIONS WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2103T2	LIMIT SWITCH NONC ROLLER HEAD RAILWAY CABLE 2M	RoHS compliant with exemptions	III-6(a)
XCMD2106L1	LIMIT SWITCH XCMD CAT S WHISKER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCMD2106L5SCL	LIMIT SWITCH PRE CABLE BODY XCMD CAT S WHISKER 1NC1NO WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2110L10	METAL LIMIT SWITCH SA 1NO 1NC, 10M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2110L1SC7	LIMIT SWITCH METAL NO AND NC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2110L1SIQ	LIMIT SWITCH METAL NO AND NC SNAP ACTION WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2110L3	LIMIT SWITCH 240VAC 5A METAL XCMD	RoHS compliant with exemptions	III-6(a)
XCMD2110L3TQ	LIMIT SWITCH METAL NO AND NC AND METAL END PLUNGER 3M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2110T1	LIMITSWITCH NCNO PLUNGER HEAD 1M RAILWAY CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2111L10SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION PLUNGER WITH ELASTOMER BOOT 10M CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2111L1SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION PLUNGER WITH ELASTOMER BOOT 1M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2111L2	LIMIT SWITCH METAL NO AND NC AND METAL END PLUNGER BOOT 2M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2111L5	LIMIT SWITCH XCMD - METAL END PLUNGER WITH NITRILE BOOT - 1NC+1NO - SNAP - 5 M	RoHS compliant with exemptions	III-6(a)
XCMD2111L7SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION PLUNGER WITH ELASTOMER BOOT 7M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD211AL2	LIMIT SWITCH METAL NO AND NC METAL END PLUNGER SILICON BOOT 2M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD211AL2SHM	LIMIT POSITION 2PCS MOLEX CONNECTOR - 106522REVA WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD211AL2SHN	LIMIT SWITCH 150247 MOLEX CONNECTOR	RoHS compliant with exemptions	III-6(a)
XCMD211AS62	LIMIT SWITCH METAL NO AND NC SNAP ACTIONAND PLUNGER, DEUTCH CONNECTOR WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2121L1	LS 1NO 1NC SA 1M CABLE ACTUATION LATERAL	RoHS compliant with exemptions	III-6(a)
XCMD2121L1L0	LIMIT SWITCH METAL NO NC PLASTIC ROLLER LEVER TURNED 180 WITH CABLE 1M	RoHS compliant with exemptions	III-6(a)
XCMD2121L2L0	LIMIT SWITCH METAL NO NC PLASTIC ROLLER LEVER TURNED 180 WITH CABLE 2M	RoHS compliant with exemptions	III-6(a)
XCMD2124L1	LIMIT SWITCH XCMD RETRACTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCMD2128TSFG	LIMIT SWITCH 1NC 1NO ROTATED HEAD ROLLER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD212AL5	LIMIT SWITCH METAL NO AND NC SNAP ACTION BOOTED STEEL ROLLER PLUNGER 5M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2181L2S53	LIMIT SWITCH METAL NO AND NC SNAP ACTIONAND SPRING LEVER THERMO END 2 WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2502L2	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a)
XCMD2502L3	LS 1NO1NC SLWA 3M CABLE STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2502L5	LIMIT SWITCH METAL 1NC 1NO SB STEEL ROLLER PLUNGER CABLE 5M	RoHS compliant with exemptions	III-6(a)
XCMD2502T06	LIMIT SWITCH ROLLER PLUNGER 1 NO 1 NC HALOGEN FREE CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD2502T06S33	MONOBLOC LIMIT SWITCH XCMD 1NO AND 1NC ROLLER PLUNGER CABLE HALOGENE WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2503L1	LMT SWITCH NC NO 240VAC 1 5A METAL XCMD WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2510L1	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a)
XCMD3902L5	LIMIT SWITCH METAL NO AND NC AND NC AND STEEL ROLLER PLUNGER 5M CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
ZCMD212A	BODY + HEAD PULS ROT METAL BELLOW WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4102L01SGO	LIMIT SWITCH METAL 2 NO AND 2 NC ST ROL PLUNG CABLE 15 CM DEUTSCH CONN 8P WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCSM4116L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSM4116L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCMD2510L10	LIMIT SWITCH METAL NO AND NC AND METAL END PLUNGER 10M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD2510L2S29	LIMIT SWITCH METAL NO AND NC AND SPECIAL ROUNDED END PLUNGER BOOT 2M	RoHS compliant with exemptions	III-6(a)
XCMD2511L1	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a)
XCMD2902L3	LIMIT SWITCH METAL NC AND NC 3M CABLE STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCMD2910L5	LIMIT SWITCH XCMD - METAL END PLUNGER - 2NC- SNAP - 5 M	RoHS compliant with exemptions	III-6(a)
XCMD2910L5TQ	LIMIT SWITCH METAL NC AND NC METAL END PLUNG CABL 5M TQ VERSION 20PCS	RoHS compliant with exemptions	III-6(a)
XCMD291AL1	LIMIT SWITCH XCMD - METAL END PLUNGER - 2NC -SNAP - 1 M	RoHS compliant with exemptions	III-6(a)
XCMD291AL1SGX	LIMIT SWITCH 161680 MOLEX CONNECTOR WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD3902L1	LIMIT SWITCH METAL NO AND NC AND NC AND STEEL ROLLER PLUNGER 1M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD3902L2	LIMIT SWITCH METAL NO AND NC AND NC AND STEEL ROLLER PLUNGER 2M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD3902T1	LIMIT SWITCH METAL 1NO2NC STEEL ROLLER PLUNGER RAILWAY CABLE 1M	RoHS compliant with exemptions	III-6(a)
XCMD3910L2	LIMIT SWITCH METAL NO AND NC AND NC AND METAL END PLUNGER 2M CABLE	RoHS compliant with exemptions	III-6(a)
XCMD4102T1	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 STEEL ROLLER PLUNGER WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD6106L1	MET LIMIT SWITCH NCNO 240VAC 3A GOLD CT CAT WHISKER 1M CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
ZCMD2110	LIMIT SWITCH METAL NO AND NC METAL END PLUNGER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
ZCMD2121	LIMIT SWITCH METAL NO AND NC AND PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(a)
ZCMD2124	LIMIT SWITCH METAL NO AND NC AND RETRACTABLE STEEL ROLLER LEVER PLUNG	RoHS compliant with exemptions	III-6(a)
ZCMD3D21T	LIMIT SWITCH METAL 2NO 1NC RAILWAY WITH PLASTIC ROLLER LEVER	RoHS compliant with exemptions	III-6(a)
XCMD2919L06SHR	LIMIT SWITCH METAL 2NC ROLLER LEVER	RoHS compliant with exemptions	III-6(a)
XCMD2919L06SHV	LIMIT SWITCH METAL 2NC ROLLER LEVER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2919L06SI5	LIMIT SWITCH METAL 2NC ROLLER LEVER CABLE 60CM 1 DELPHI CON	RoHS compliant with exemptions	III-6(a)
XCMD4116L10SBW	POSITIONSSCH.4POL ÖÖSS SPRG ROL.H.10M SP	RoHS compliant with exemptions	III-6(a)
XCMD4116L15SBW	POSITIONSSCH.4POL ÖÖSS SPRG ROL.H.15M SP WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD4116L1SBW	POSITIONSSCH.4POL ÖÖSS SPRG ROL.H.1M SP	RoHS compliant with exemptions	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD4116L5SBW	POSITIONSSCH.4POL ÖÖSS SPRG ROL.H.5M SP WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a)
XCMD2102T1SBG	LIMIT SWITCH 1NC1NO SPEC RAILWAY CABLE R	RoHS compliant with exemptions	III-6(a)
XCMD2102T1M	LIMIT SWITCH METAL 1NC1NO MONOBLOC	RoHS compliant with exemptions	III-6(a)
XCMD2102T3	RAILWAY CABLE 3M	RoHS compliant with exemptions	III-6(a)
XCMD2103T05SJG	LIMIT SWITCH NO NC ROLLER PLUNGER 50CM RAILWAY CABLE M12 CRIMP CON	RoHS compliant with exemptions	III-6(a)
XCMD2116T1M	LIMIT SWITCH METAL 1NC1NO MONOBLOC	RoHS compliant with exemptions	III-6(a)
XCMD2146T1M	LIMIT SWITCH METAL 1NC1NO MONOBLOC	RoHS compliant with exemptions	III-6(a)
XCMD2191L2	LIMIT SWITCH METAL 240VAC 1NO 1NC SNAP	RoHS compliant with exemptions	III-6(a)
XCMD2503L2	LMT SWITCH NC NO 240VAC 1.5A METAL XCMD	RoHS compliant with exemptions	III-6(a)
XCMD2506L1	LIMIT SWITCH XCMD CAT S WHISKER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a)
XCMD4102L1	LIMIT SWITCH METAL 2 NO AND 2 NC STEEL ROLLER PLUNGER CABLE LENGTH 1	RoHS compliant with exemptions	III-6(a)
XCMD4128T1	XCMD LIMIT SWITCH + OPTIONS	RoHS compliant with exemptions	III-6(a)
XCMD691AL03SIY	LIMIT SWITCH METAL NC AND NC SNAP ACTION GOLD PLUNGER SILICONE 30CM AMP CONN	RoHS compliant with exemptions	III-6(a)
XCSM3702L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3702L10	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3702L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3702L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3710L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3710L10	SAFETY LIMIT SWITCH METAL 2NC 1NO SLOW B	RoHS compliant with exemptions	III-6(a)
XCSM3710L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3710L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3710L3S51	SAFETY LIMIT SWITCH METAL 2NC 1NO SLOW B AND METAL END SPHERICAL PLUNGER 3M CAB	RoHS compliant with exemptions	III-6(a)
XCSM3716L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3716L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3716L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3902L10	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3910L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3910L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3916L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3916L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3916L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSM3921L2	SAFETY LIMIT SWITCH METAL NC- NC-NO PLAST ROLL LEV PLUNG HORIZ ACTUAT 2M CAB	RoHS compliant with exemptions	III-6(a)
XCMD4102L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROLLER PLUNGER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCMD4110L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCMD4110L10	SI.POSITION SWITCH OEOESS SPRUNG STOESSEL 10M	RoHS compliant with exemptions	III-6(a)
XCMD4110L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCMD4110L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM STEEL PLUNGER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCMD4116L10	SAC COMERIO XCSM4116L5 WITH 10M CABLE	RoHS compliant with exemptions	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSM4116L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSM4102L10TQ	SAFETY LIMIT SWITCH METAL 2NC-2NO METAL ROLLER PLUNGER 10M CABLE TQ 10PCS	RoHS compliant with exemptions	III-6(a)
XCMD21016AM4	METAL LIMIT SWITCH WIHTOUT LEVER TF 1NO 1NC	RoHS compliant with exemptions	III-6(a)
XCMD2102AM4	LIMIT SWITCH METAL NC+NO SNAP, ROLLER, CONNECTOR AMP 4P	RoHS compliant with exemptions	III-6(a)
XCMD2110AM4	LIMIT SWITCH METAL NC+NO SNAP, PLUNGER, CONNECTOR AMP 4P	RoHS compliant with exemptions	III-6(a)
XCMD2502AM4	LIMIT SWITCH METAL NC+NO SLOW, ROLLER, CONNECTOR AMP 4P	RoHS compliant with exemptions	III-6(a)
XCMD2510AM4	LIMIT SWITCH METAL NC+NO SLOW, PLUNGER, CONNECTOR AMP 4P	RoHS compliant with exemptions	III-6(a)
XCMD611AAM4SIP	LIMIT SWITCH METAL NO AND NC SNAP ACTION GOLD CONTACTS PLUNGER SILICONE AMP -40C	RoHS compliant with exemptions	III-6(a)
XCMV2110D44	LIMIT SWITCH METAL NC+NO SNAP, PLUNGER, CONNECTOR DT04 4P	RoHS compliant with exemptions	III-6(a)
XCMV2110M12	LIMIT SWITCH METAL NC+NO SNAP, PLUNGER, CONNECTOR M12	RoHS compliant with exemptions	III-6(a)
XCMV2510D44	LIMIT SWITCH METAL NC+NO SLOW, PLUNGER, CONNECTOR DT04 4P	RoHS compliant with exemptions	III-6(a)
XCMV2510M12	LIMIT SWITCH METAL NC+NO SLOW, PLUNGER, CONNECTOR M12	RoHS compliant with exemptions	III-6(a)
XCMV2102D44	LIMIT SWITCH METAL NC+NO SNAP, ROLLER, CONNECTOR DT04 4P	RoHS compliant with exemptions	III-6(a)
XCMV2102M12	LIMIT SWITCH METAL NC+NO SNAP, ROLLER, CONNECTOR M12	RoHS compliant with exemptions	III-6(a)
XCMV2502D44	LIMIT SWITCH METAL NC+NO SLOW, ROLLER, CONNECTOR DT04 4P	RoHS compliant with exemptions	III-6(a)
XCMV2502M12	LIMIT SWITCH METAL NC+NO SLOW, ROLLER, CONNECTOR M12	RoHS compliant with exemptions	III-6(a)
XCMV2902M12	LIMIT SWITCH METAL NC NC SNAP ACTION STEEL ROLLER PLUNGER M12 CONNECTOR	RoHS compliant with exemptions	III-6(a)
XCMV21036D44	LS 1NO1NC SA DT04 4P STEEL ROLLER PLUNG OPERAT TEMPER - 40 DEG HEAD TURNED 90 DEG	RoHS compliant with exemptions	III-6(a)
XCMD2102C12	LIMIT SWITCH XCMD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2102M12	LIMIT SWITCH XCMD ROLLER PLUNGER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F2L1	LIMIT SWITCH XCMD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2102L08R12	LIMIT SWITCH METAL NO AND NC STEEL ROLLER PLUNGER 8M CABLE CONNEC M12 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0L1	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2116C12	LIMIT SWITCH XCMD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2126C12	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2110C12	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD25F0L1	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD41F0L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD41F2L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD41G1L5EX	ATEX MINI LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD1656046	LIMIT SWITCH ROTATIVE 1NO 1NC SNAP SHUNT ROLLER PLUNGER C12	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2106C12	LIMIT SWITCH XCMD CAT S WHISKER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2106M12	LIMIT SWITCH XCMD CAT S WHISKER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2110M12	LIMIT SWITCH XCMD STEEL END PLUNGER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2110M12SDT	LIMIT SWITCH METAL NO AND NC METAL END PLUNGER M12 CONNECT RED	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2111C12	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2111M12	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2121C12	ENDESTOP METAL NO+NC, PLASRULLE, M12 4P	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2121C12SIH	LIMIT SWITCH 24V AC 4A M12 CONNECTOR 5 PIN PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD2124C12	LIMIT SWITCH XCMD RETRACTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2124M12	LIMIT SWITCH XCMD RETRACTABLE ROLLER LEVER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0C12	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0L1J11	LIMIT SWITCH 240VAC 5A PLAST XCMD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0L2	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 2 M CABLE FIX BY HEAD END PLUN	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0L3	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 3 M CABLE FIX BY HEAD END PLUN	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0L5	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 5 M CABLE FIX BY HEAD END PLUN	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F0M12	LIMIT SWITCH XCMD STEEL END PLUNGER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F2C12	LIMIT SWITCH XCMD ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F2L2	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 2 M CABLE FIX BY HEAD ROLLER P	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F2L3	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 3 M CABLE FIX BY HEAD ROLLER P	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F2L5	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 5 M CABLE FIX BY HEAD ROLLER P	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F2M12	LIMIT SWITCH XCMD ROLLER PLUNGER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F3L10	LIMIT SWITCH METAL NO AND NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21F3L5	LIMIT SWITCH METAL NO AND NC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21G1L1	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21G1L2	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 2 M CABLE FIX BY HEAD END PLUN	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21G1L5	LIMIT SWITCH METAL 1NO 1NC SNAP ACTION 5 M CABLE FIX BY HEAD END PLUN	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21G1M12	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD25F0L1S25	LIMIT SWITCH XCMD STEEL END PLUNGER 1 NO 1 NC WITH SHORTEN HEAD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD25F2L1	LIMIT SWITCH XCMD ROLLER PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD25F2L2	LIMIT SWITCH METAL 1NO 1NC SLOW BREAK 2 M CABLE FIX BY HEAD ROLLER PL	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD29F3L2	LIMIT SWITCH METAL NC AND NC M12 WITH STEEL ROLL PLUNGER 90DEG 2M CAB WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD6510S50	LIMIT SWITCH METAL NO NC BREAK BEFO MAKESLOW BREAK CTC GOLD WITH BULG WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD691AC12SIP	LIMIT SWITCH METAL NC AND NC SNAP ACTION GOLD CONTACTS PLUNGER SILICONE M12 -40C	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCMD21F2	LIMIT SWITCH METAL NO AND NC M12 STEEL ROLLER PLUNGER WITHOUT CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2110L02SI6	LIMIT SWITCH METALIC NONC END PLUNGER PIGTAIL 20CM CABLE PROTECTION & LABEL WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2116C12LOR	LIMIT SWITCH 24V AC 4A M12 CONNECTOR 5 PIN STEEL ROLLER LEVER REVERSED	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2116M12	LIMIT SWITCH XCMD ROLLER LEVER 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2117C12	LIMIT SWITCH XCMD ROLLER LEVER, BALL BEARING 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2117M12	LIMIT SWITCH XCMD ROLLER LEVER, BALL BEARING 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2122C12SII	LIMIT SWITCH 24V AC 4A M12 CONNECTOR 5 PIN CERAMIC ROLLER LEVER ORIENTED	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD1656049	LIMIT SWITCH ROTATIVE 1NO 1NC SNAP SHUNT ROTATIVE STEEL ROLLER LEVER WITH CONNECTOR M12	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2902C12SGH	POSITION SWITCH 20 RAL9007 RS MR STEELACHSE	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2921C12SGI	POSITION SWITCH 20 RAL9007 RH KR SEIT UV-FIX	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2103C12SIH	LIMIT SWITCH NO NC ROLLER PLUNGER CON C12 SWAPED	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2119M12SAS	LIMIT SWITCH 1NC1NO 240V ROTATED HEAD	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD211AM12SDT	LIMIT SWITCH METAL RED NO NC M12 CONNECT METAL PLUNGER SILICONE BOOT OUTDOOR	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD21G1C12	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD25G1L1	LIMIT SWITCH XCMD BOOTED END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2921C12SJA	LIMIT SWITCH METAL SNAP NC NC STEEL ROLLER PLUNGER M12 CON	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSM37F0L1S25	SAFETY LIMIT SWITCH METAL 2NC 1NO SLOW B SHORT HEAD M12 WITH MET END PLUNG 1MCAB	RoHS compliant with exemptions	III-6(a); III-6(c)
XCMD2114C12	LS ADJUSTABLE STEELEND PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCMD2165L0	LIMIT SWITCH METAL NO AND NC SIDE STEEL ROLLER PLUNGER VERTICAL 180° WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCMD2113	LIMIT SWITCH METAL NO AND NC STEEL BALL BEARING PLUNGER W/O CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCMD21C12	LIMIT SWITCH BODY ZCMD 1NC AND 1NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c)
ZCMD21M12	LIMIT SWITCH BODY ZCMD 1OC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c)
ZCMD21L08R12	LIMIT SWITCH BODY ZCMD 1NC AND 1NO PRECABLED M12 CONNECTOR WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(c)
XCMD2115C12	LIMIT SWITCH XCMD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
ZCMD29C12	LIMIT SWITCH BODY ZCMD 2NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c)
XCMD2115M12	LIMIT SWITCH XCMD ROLLER LEVER 1 OC	RoHS compliant with exemptions	III-6(c)
ZCMD21L1R12SCU	LIMIT SWITCH METAL NO AND NC M12 CONNECTOR 1M CABLE WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(c)
XCMD2115T02S99	LIMIT SWITCH NC NO ROLLER LEVER SPECIAL CABLE AND AMP CONNECT	RoHS compliant with exemptions	III-6(c)
ZCMD21L06SHP	SAC FARE SIN ZCMD21L1 WITH OUTPUT DEUTSCH WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant with exemptions	III-6(c)
XCMD2115L08R12	LIMIT SWITCH METAL NO AND NC AND ROLLER LEVER 2M CABLE	RoHS compliant with exemptions	III-6(c)
XCMD2159L08R12	LIMIT SWITCH METAL NO AND NC ROTARY HEAD AND ROD LEVER Ø6 M12 CONN	RoHS compliant with exemptions	III-6(c)
XCMD2101C12	LIMIT SWITCH XCMD WITHOUT OPERATING LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCMD2145C12	LIMIT SWITCH XCMD ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCMD2145M12	LIMIT SWITCH XCMD ADJUSTABLE ROLLER LEVER 1 OC	RoHS compliant with exemptions	III-6(c)
XCMD2159C12	POSITION SWITCH ROTARY ENCODER RH KR 151O M12 5P	RoHS compliant with exemptions	III-6(c)
XCMD2171C120R	LIMIT SWITCH METAL NO AND NC SNAP ACTION FORK ARM ROLLER 1TRACK 270DEG M12 5 PIN	RoHS compliant with exemptions	III-6(c)
ZCMD61C12	LIMIT SWITCH BODY ZCMD 1NC AND 1NO M12 CONNECTOR	RoHS compliant with exemptions	III-6(c)
ZCMD69C12	LIMIT SWITCH BODY ZCMD 2NC M12 CONNECTOR	RoHS compliant with exemptions	III-6(c)
XCMD2959C12SGJ	POSITION SWITCH 2O RAL9007 HEAD VERST KLEMMST	RoHS compliant with exemptions	III-6(c)
ZCMD29C12SGK	POSITION SWITCH UT 2O CONNECTOR M12 5P SILVER SK	RoHS compliant with exemptions	III-6(c)
XCMD2153C12SJI	METAL LIMIT SWITCH SNAP NO NC 70MM STAINLESS ROD	RoHS compliant with exemptions	III-6(c)
XCMD2115L1	LIMIT SWITCH XCMD ROLLER LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
ZCMD21	LIMIT SWITCH BODY ZCMD 1NC AND 1NO PLUGIN WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD41L1	LIMIT SWITCH BODY ZCMD 2NC AND 2NO CABLE 1M	RoHS compliant without exemption	None
ZCMD25	LIMIT SWITCH BODY ZCMD 1NC AND 1NO PLUGIN WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2145L1	LIMIT SWITCH XCMD ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
ZCMD41L5	LIMIT SWITCH BODY ZCMD 2NC AND 2NO CABLE 5M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD41L2	LIMIT SWITCH BODY ZCMD 2NC AND 2NO CABLE 2M	RoHS compliant without exemption	None
ZCMD29	LIMIT SWITCH BODY ZCMD 2NC PLUGIN WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2115L5	LS1NO1NCSA5MCABLE	RoHS compliant without exemption	None
ZCMD29L2	LIMIT SWITCH BODY ZCMD 2NC CABLE 2M	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

ZCMD25L2	LIMIT SWITCH BODY ZCMD 1NC AND 1NO CABLE 2M	RoHS compliant without exemption	None
ZCMD29L1	LIMIT SWITCH BODY ZCMD 2NC CABLE 1M	RoHS compliant without exemption	None
ZCMD25L5	LIMIT SWITCH BODY ZCMD 1NC AND 1NO CABLE 5M	RoHS compliant without exemption	None
ZCMD2115	LIMIT SWITCH METAL NO AND NC AND PLASTIC ROLLER LEVER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD21L10	LIMIT SWITCH METAL NO AND NC BODY WITH PRECABLED CONTACTS	RoHS compliant without exemption	None
ZCMD41T3	LIMIT SWITCH BODY ZCMD 2NC 2NO RAILWAY WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2145L5	LIMIT SWITCH XCMD ADJUSTABLE ROLLER LEVER 1 NC AND 1NO CABLE 5M WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2998L7LF	LIMIT SWITCH 2NC POS HEAD STAY PUT FOR ACTUATION CABLE 7M WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD37L1	LIMIT SWITCH BODY ZCMD 2NC AND 1NO CABLE 1M	RoHS compliant without exemption	None
ZCMD37L2	LIMIT SWITCH BODY ZCMD 2NC AND 1NO CABLE 2M	RoHS compliant without exemption	None
ZCMD37L5	LIMIT SWITCH BODY ZCMD 2NC AND 1NO CABLE 5M	RoHS compliant without exemption	None
ZCMD39	LIMIT SWITCH BODY ZCMD 2NC AND 1NO PLUGIN	RoHS compliant without exemption	None
ZCMD39L1	LIMIT SWITCH BODY ZCMD 2NC AND 1NO CABLE 1M	RoHS compliant without exemption	None
ZCMD39L2	LIMIT SWITCH BODY ZCMD 2NC AND 1NO CABLE 2M	RoHS compliant without exemption	None
ZCMD39L5	LIMIT SWITCH BODY ZCMD 2NC AND 1NO CABLE 5M	RoHS compliant without exemption	None
ZCMD39T	ZCMD BODY 1NO2NC SNAP ACTION RAILWAY MARKING WITHOUT CABLE	RoHS compliant without exemption	None
ZCMD41L10	BODY METAL LIMIT SWITCH 2NC2NO SNAP ACT. 10M 9 WIRES WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD41T1	LIMIT SWITCH BODY ZCMD 2NC 2NO RAILWAY WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD41T2	LIMIT SWITCH BODY ZCMD 2NC 2NO RAILWAY WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD4D	LIMIT SWITCH BODY ZCMD - 2NC+2NO - SILVER - SNAP ACTION	RoHS compliant without exemption	None
ZCMD4DL1	LIMIT SWITCH BODY ZCMD - 2NC+2NO - SILVER - SNAP ACTION - CONNECTION - 1 M	RoHS compliant without exemption	None
ZCMD4DL2	LIMIT SWITCH BODY ZCMD - 2NC+2NO - SILVER - SNAP ACTION - CONNECTION - 2 M	RoHS compliant without exemption	None
ZCMD4DL5	LIMIT SWITCH BODY ZCMD - 2NC+2NO - SILVER - SNAP ACTION - CONNECTION - 5 M	RoHS compliant without exemption	None
ZCMD4DT	LIMIT SWITCH BODY 2NC2NO PLUGIN WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD81L1	LIMIT SWITCH BODY ZCMD 2NC AND 2NO CABLE 1M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD81L2	LIMIT SWITCH BODY ZCMD 2NC AND 2NO CABLE 2M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD81L5	LIMIT SWITCH BODY ZCMD 2NC AND 2NO CABLE 5M WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4115L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4145L5EX	ATEX MINI LIMIT SWITCH WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2101L1	LIMIT SWITCH XCMD WITHOUT OPERATING LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCMD2115L10	LIMIT SWITCH 1NO 1NC SNAP ACTION 10M CABLE THERMOPLST ROLLER LEVER	RoHS compliant without exemption	None
XCMD2115L2	LIMIT SWITCH METAL NO AND NC AND ROLLER LEVER 2M CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2115S60	LIMIT SWITCH METAL NO AND NC AND ROLLER LEVER DEUTCH CONNECTOR 1M	RoHS compliant without exemption	None
XCMD2115T1SBT	LIMIT SWITCH 1NC1NO COLD HEAD WITH LEVER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2115T2	-	RoHS compliant without exemption	None
XCMD2115T2SEZ	LIMIT SWITCH METAL NO AND NC ROLLER LEVER T-40 DEG 2M RAILWAY CABLE	RoHS compliant without exemption	None
XCMD2118L1	LIMIT SWITCH METAL NO AND NC SNAP ACTION PLASTIC ROLLER LEVER 1M CABLE	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD2118L10SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 10M CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2118L10VSIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 10M CABLE WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2118L1SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 1M CABLE	RoHS compliant without exemption	None
XCMD2118L1VSIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 1M CABLE	RoHS compliant without exemption	None
XCMD2118L2	XCMD MINIATURE LIMIT SWITCH PRE- CABLED - CABLE 2M	RoHS compliant without exemption	None
XCMD2118L4SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 4M CABLE	RoHS compliant without exemption	None
XCMD2118L4VSIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 4M CABLE	RoHS compliant without exemption	None
XCMD2118L5	LIMIT SWITCH METAL NO AND NC SNAP ACTION PLASTIC ROLLER LEVER 1M CABLE	RoHS compliant without exemption	None
XCMD2118L7SIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 7M CABLE	RoHS compliant without exemption	None
XCMD2118L7VSIJ	LIMIT SWITCH METAL NO AND NC SNAP ACTION THERMOPLASTIC ROLLER LEVER 7M CABLE	RoHS compliant without exemption	None
XCMD2125L2	LIMIT SWITCH METAL NO AND NC PLASTIC ROLLER LEVER 2M CABLE	RoHS compliant without exemption	None
XCMD21500L1	LIMIT SWITCH 240VAC 5A PLAST XCMD	RoHS compliant without exemption	None
XCMD2153L10	LIMIT SWITCH 240VAC 5A METAL XCMD	RoHS compliant without exemption	None
XCMD2171L1	LIMIT SWITCH XCMD - FORKED ARM WITH ROLLERS 1 TRACK - 1NC+1NO - SNAP - 1 M	RoHS compliant without exemption	None
XCMD2515L1	LIMIT SWITCH XCMD ROLLER LEVER 1 NO AND 1 NC	RoHS compliant without exemption	None
XCMD2515S16	LIMIT SWITCH XCMD ROLLER LEVER 1 NO AND 1 NC WITH DEUTSCH CONNECTOR WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2525L1	LIMIT SWITCH METAL 1NO 1NC SLOW BREAK 1 M CABLE ROT HEAD PLASTIC ROLL	RoHS compliant without exemption	None
XCMD2545L1	LIMIT SWITCH XCMD ADJUSTABLE ROLLER LEVER 1 NO AND 1 NC	RoHS compliant without exemption	None
XCMD3915T2	LIMIT SWITCH METAL 1NO2NC STEEL ROLLER LEVER RAILWAY CABLE 2M	RoHS compliant without exemption	None
XCMD3915T20V	LIMIT SWITCH METAL 1NO2NC STEEL ROLLER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4115T1	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 ROTATED HEAD AND LEVER WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4115T1L0	LIMIT SWITCH METAL 2NC2NO MONOBLOC 240V RAILWAY CABLE HEAD ORIENTED ROLLER LEVER WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4125T2SBT	LIMIT SWITCH METAL 2NO2NC CABLE EN50306	RoHS compliant without exemption	None
XCMD61500L1	MET LIMIT SWITCH NCNO 240VAC 3A GOLD CT THERMOPLASTIC ROLLER LEVER 1M WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD61500L2	MET LIMIT SWITCH NCNO 240VAC 3A GOLD CT THERMOPLASTIC ROLLER LEVER 2M	RoHS compliant without exemption	None
XCMD69500L2	LIMIT SWITCH 2NC 240VAC 3A METAL GOLD CT THERMOPLASTIC ROLLER LEVER 2	RoHS compliant without exemption	None
ZCMD3915T	LIMIT SWITCH METAL NO 2NC FOR RAILWAY WITH STEEL ROLLER LEVER TRACK 2 WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD3D45T	POSITION SWITCH COMPLETE 2510 LENGTHWISEV RH KR WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD21T5SBK	LIMIT SWITCH NONC SNAP ACT 240V MONOBLOC RAILWAY CABLE	RoHS compliant without exemption	None
ZCMD2115TRW	LIMIT SWITCH METAL RAILWAY NO AND NC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD2125TL05F	LIMIT SWITCH METAL RAILWAY NONC PLASTIC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

ZCMD2125TL0SR	LIMIT SWITCH METAL RAILWAY NO NC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD2125TRVSF	LIMIT SWITCH METAL FOR RAILWAY WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD2125TSFCSF	LIMIT SWITCH METAL RAILWAY NONC ROLLER WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD2125TSR	LIMIT SWITCH METAL RAILWAY NO NC	RoHS compliant without exemption	None
ZCMD2115TLVSF	LIMIT SWITCH METAL RAILWAY NONC PLASTIC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD2115TOBSF	LIMIT SWITCH METAL RAILWAY NONC PLASTIC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD2115T0T	LIMIT SWITCH METAL RAILWAY NO NC 250V	RoHS compliant without exemption	None
ZCMD2102TSBUSF	LIMIT SWITCH METAL RAILWAY NONC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD4D02TSBU	LIMIT SWITCH METAL RAILWAY 2 NO 2 NC WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD3903TSBUSF	LIMIT SWITCH METAL RAILWAY NO2NC SPECIAL WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD2115T10CSBT	LIMIT SWITCH 1NC 1NO CABLE EN50306 1M WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4103TSF4SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4103TSF5SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4115TSF6SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306	RoHS compliant without exemption	None
XCMD4115TSF7SF	LIMIT SWITCH METAL 2NO2NC CABLE EN50306 WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCMD4125T1FCSF	LIMIT SWITCH METAL RAILWAY 2NO2NC PLAST WITH FIXED TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD3915T0B	LIMIT SWITCH METAL 2NC 1NO RAILWAY WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD3925TLBSR	LIMIT SWITCH METAL RAILWAY NO 2NC HEAD WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD3925TSFCSF	LIMIT SWITCH METAL RAILWAY NO 2NC ROLLER	RoHS compliant without exemption	None
ZCMD4D15T	LIMIT SWITCH METAL 2NC 2NO RAILWAY WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD4D25TR0	LIMIT SWITCH METAL 2NC 2NO RAILWAY WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
ZCMD61	LIMIT SWITCH BODY ZCMD 1NC AND 1NO PLUGIN WITH REMOVABLE TERMINAL CABLE BLOCK	RoHS compliant without exemption	None
XCSM3918L2	SAFETY LIMIT SWITCH METAL NC- NC-NO PLASTIC ROLLER LEVER CABLE 2M	RoHS compliant without exemption	None
XCSM3715L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant without exemption	None
XCSM3715L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant without exemption	None
XCSM3715L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant without exemption	None
XCSM3915L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant without exemption	None
XCSM3915L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant without exemption	None
XCSM3915L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 1 NO	RoHS compliant without exemption	None
XCSM4115L1	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 2 NO	RoHS compliant without exemption	None
XCSM4115L10	SAFETY LIMIT SWITCH METAL 2NC-2NO THERMOPLASTIC ROLLER LEVER 10M CABLE	RoHS compliant without exemption	None
XCSM4115L2	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 2 NO	RoHS compliant without exemption	None
XCSM4115L5	LIMIT SWITCH FOR SAFETY APPLICATION XCSM ROTARY LEVER 2 NC AND 2 NO	RoHS compliant without exemption	None
XCSM3905T5	LIMIT SWITCH 1NO2NC SA 5M RAILWAY CABLE PROGRAM ROTARY HEAD	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCMD1656037	SPECIAL LIMIT SWITCH XCMD 1NC AND 1NO	RoHS compliant without exemption	None
XCMD2515L15	LIMIT SWITCH METAL 1NO 1NC SLOW BREAK THERMOPLST ROLLER LEVER 15M CABLE LENGTH	RoHS compliant without exemption	None
XCMD2515L10	LIMIT SWITCH METAL 1NO 1NC SLOW BREAK THERMOPLST ROLLER LEVER 10M CABLE LENGTH	RoHS compliant without exemption	None
XCMD2515L5	LIMIT SWITCH METAL 1NO 1NC SLOW BREAK THERMOPLST ROLLER LEVER 5M CABLE LENGTH	RoHS compliant without exemption	None
XCMD2115T1	LIMIT SWITCH METAL 1NC 1NO ROLLER LEVER 1M RAILWAY CABLE	RoHS compliant without exemption	None
XCMD2118TSFG	LIMIT SWITCH 1NC 1NO ROTATED HEAD ROLLER	RoHS compliant without exemption	None
XCMD2125L1	XCMD LIMIT SWITCH + OPTIONS	RoHS compliant without exemption	None
XCMD2125T1	LIMIT SWITCH METAL 1NC 1NO ROLLER LEVER 1M RAILWAY CABLE	RoHS compliant without exemption	None
XCMD21456L1	LS METAL 1NO1NC SA ADJUST PLAST ROL LEV 1M CABLE FOR USE AT -40 DEG CELSIUS	RoHS compliant without exemption	None
XCMD4115T2SHO	LIMIT SWITCH METAL 2NO2NC 2MCABL EN50306	RoHS compliant without exemption	None
XCMD4118T1	LIMIT SWITCH METAL 2NO 2NC SNAP ACTION PLAST ROLLER LEVER 1M PRE-CABLED RAILWAY	RoHS compliant without exemption	None
XCMD4125T1FC	LIMIT SWITCH METAL 2NO2NC CABLE EN50306	RoHS compliant without exemption	None
XCMD4125T1FU	LIMIT SWITCH METAL 2NO2NC CABLE EN50306	RoHS compliant without exemption	None
XCMD4145T1	LIMIT SWITCH METAL 2NO2NC CABLE EN50306	RoHS compliant without exemption	None
ZCMD21AM4	LIMIT SWITCH METAL BODY NC+NO SNAP, AMP 4P	RoHS compliant without exemption	None
ZCMD25AM4	LIMIT SWITCH METAL BODY NC+NO SLOW, AMP 4P	RoHS compliant without exemption	None
ZCMD29AM4	LIMIT SWITCH METAL BODY NC+NC SNAP, AMP 4P	RoHS compliant without exemption	None
XCMD2101AM4SIK	LIMIT SWITCH NONC SA AMP 4 PINS ROTATED HEAD WITHOUT LEVER SPECIAL CABLING	RoHS compliant without exemption	None
XCMD2115AM4	LIMIT SWITCH METAL NC+NO SNAP, PLAST LEVER, CONNECTOR AMP4P	RoHS compliant without exemption	None
XCMD2515AM4	LIMIT SWITCH METAL NC+NO SLOW, PLAST LEVER, CONNECTOR AMP4P	RoHS compliant without exemption	None
XCMV2115D44	LIMIT SWITCH METAL NC+NO SNAP, PLAST LEVER, CONNECTOR DT4P	RoHS compliant without exemption	None
XCMV2115M12	LIMIT SWITCH METAL NC+NO SNAP, PLAST LEVER, CONNECTOR M12	RoHS compliant without exemption	None
XCMV2515D44	LIMIT SWITCH METAL NC+NO SLOW, PLAST LEVER, CONNECTOR DT4P	RoHS compliant without exemption	None
XCMV2515M12	LIMIT SWITCH METAL NC+NO SLOW, PLAST LEVER, CONNECTOR M12	RoHS compliant without exemption	None
XCMV2118D44	LIMIT SWITCH METAL NC+NO SNAP, PLAST LEVER, CONNECTOR DT4P, TRACK 20 36 MM	RoHS compliant without exemption	None
XCMV2145M12SI5	LIMIT SWITCH NO NC SNAP 24V ADJUSTABLE ROLLER LEVER M12 CONNECTOR	RoHS compliant without exemption	None
XCMV2118D44RB	LIMIT SWITCH METAL NO NC SNAP PLAST ROL LEV30DEG HEAD270DEG DT04 4P DEUTSCH CON	RoHS compliant without exemption	None
XCMV2125D44RVSR	LIMIT SWITCH METAL NO NC SNAP PLAST ROL INV LEV330DEG HEAD270DEG DT04 4P DEUTSCH	RoHS compliant without exemption	None
ZCMV21M12	LIMIT SWITCH METAL BODY NC+NO SNAP, M12	RoHS compliant without exemption	None
ZCMV25M12	LIMIT SWITCH METAL BODY NC+NO SLOW, M12	RoHS compliant without exemption	None
ZCMV29M12	LIMIT SWITCH METAL BODY NC+NC SNAP, M12	RoHS compliant without exemption	None
ZCMV41L03	LIMIT SWITCH METAL BODY 2NO+2NC SNAP, 0,3M CABLE	RoHS compliant without exemption	None
ZCMV21D44	LIMIT SWITCH PLASTIC NO AND NC WITHOUT HEAD WITH DEUTSCH CONNECTOR	RoHS compliant without exemption	None
ZCMV25D44	COMPACT LS MOBILE EQUIP	RoHS compliant without exemption	None
ZCMV29D44	LIMIT SWITCH METAL BODY NC+NC SNAP, DEUTSCH DT04-4P	RoHS compliant without exemption	None
ZCMV41L5	BODY LIMIT SWITCH 2NC 2NO 5M CABLE	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France