

Date: 19/05/2025

Object: Telemecanique\_Sensors\_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON  
Head of Telemecanique Sensors PBU  
YAGEO Group

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XCSA701	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a)
XCSA702	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a)
XCSB702	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSA703	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a)
XCSA501	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2NO	RoHS compliant with exemptions	III-6(a)
XCSA801	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 3 NC	RoHS compliant with exemptions	III-6(a)
XCSA502	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSA802	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 3 NC	RoHS compliant with exemptions	III-6(a)
XCSB703	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSB701	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a)
XCSA702EX	METAL LIMIT SWITCH NO LOC EXD	RoHS compliant with exemptions	III-6(a)
XCSA503	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSB503	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSA803	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 3 NC	RoHS compliant with exemptions	III-6(a)
XCSB502	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSB501	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a)
XCSA502EX	METAL LIMIT SWITCH NO LOC EXD	RoHS compliant with exemptions	III-6(a)
XCSB803	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 3 NC	RoHS compliant with exemptions	III-6(a)
XCSB702EX	MET.LIMIT. SWITCH MANU LOC EXD	RoHS compliant with exemptions	III-6(a)
XCSB802	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 3 NC	RoHS compliant with exemptions	III-6(a)
XCSB502EX	MET.LIMIT. SWITCH MANU LOC EXD	RoHS compliant with exemptions	III-6(a)
XCSB801	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 3 NC	RoHS compliant with exemptions	III-6(a)
XCSC701	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC702	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC502	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC702EX	MET.LIMIT. SWITCH MANU LOC EXD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC501	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC703	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC801	LIMIT SWITCH FOR SAFETY APPLICATIONXCSC OPERATING KEY 3 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC802	LIMIT SWITCH FOR SAFETY APPLICATIONXCSC OPERATING KEY 3 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC503	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 1 NC AND 2NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC502EX	MET.LIMIT. SWITCH MANU LOC EXD	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSC513	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 1 NC AND 2NO	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSC712	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSC522	LIMIT SWITCH FOR SAFETY APPLICATION XCSC OPERATING KEY 1 NC AND 2NO	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSA711	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA713	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA512	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSB713	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA712	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSB723	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA523	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA511	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 1 NC AND 2 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA721	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATINGKEY 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA723	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSB711	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA522	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 1 NC AND 2NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSB712	LIMIT SWITCH FOR SAFETY APPLICATION XCSB OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSA722	LIMIT SWITCH FOR SAFETY APPLICATION XCSA OPERATING KEY 2 NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I

#### TMSS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France