

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XMLA010A2S11	PRESSURE SWITCH XMLA 10 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA001R2S11	PRESSURE SWITCH XMLA 1 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA004A2S11	PRESSURE SWITCH XMLA 4 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA004C2S11	PRESSURE SWITCH XMLA 4 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA010A2S12	PRESSUR SWITCH N.A.D 10B	RoHS compliant with exemptions	III-6(a)
XMLCS35R2S11	PRESSURE SWITCH XMLC 330 MBAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB002A2S11	PRESSURE SWITCH XMLB 2.5 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB004A2S11	PRESSURE SWITCH XMLB 4 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB010A2S11	PRESSURE SWITCH XMLB 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLBM02V2S11	VACUUM SWITCH XMLB 1 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLCS04B2S11	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a)
XMLBS35R2S11	PRESSURE SWITCH XMLB 330 MBAR ADJUSTABLE SCALE 2 THRESHOLDS 1OC	RoHS compliant with exemptions	III-6(a)
XMLBM05A2S11	VACUPRESSURE SENSOR XMLB 5 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA001S2S11	PRESSURE SWITCH XMLA 1 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA002A2S11	PRESSURE SWITCH XMLA 2.5 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA002A2S12	PRESSUR SWITCH N.A.D.2,5B	RoHS compliant with exemptions	III-6(a)
XMLA002C2S11	PRESSURE SWITCH XMLA 2.5 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLA004A2S12	PRESSUR SWITCH N.A.D 4B	RoHS compliant with exemptions	III-6(a)
XMLA004A2S13	PRESSUR SWITCH N.A.D 4B	RoHS compliant with exemptions	III-6(a)
XMLA010A2S13	PRESSUR SWITCH N.A.D 10B	RoHS compliant with exemptions	III-6(a)
XMLA010A2S14	PRESSUR SWITCH N.A.D 10B	RoHS compliant with exemptions	III-6(a)
XMLA010C2S11	PRESSURE SWITCH XMLA 10 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLAM01V2S11	VACUUM SWITCH XMLA 1 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a)
XMLAM01V2S12	VACUUM N.A.D STD 1B	RoHS compliant with exemptions	III-6(a)
XMLB001R2S11	PRESSURE SWITCH XMLB 1 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB001S2S12	PRESSURE SWITCH A.D. 1B	RoHS compliant with exemptions	III-6(a)
XMLB002A2S11002	PRESSURE SWITCH	RoHS compliant with exemptions	III-6(a)
XMLB002A2S12	PRESSURE SWITCH A.D.2.5B	RoHS compliant with exemptions	III-6(a)
XMLB002B2S11	PRESSURE SWITCH XMLB 2.5 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB004A2S12	PRESSURE SWITCH A.D.4 B	RoHS compliant with exemptions	III-6(a)
XMLB004A2S12EX	PRESSURE SWITCH A D 4 B	RoHS compliant with exemptions	III-6(a)
XMLB004A2S13	PRESSURE SWITCH A.D.4 B	RoHS compliant with exemptions	III-6(a)
XMLB004B2S11	PRESSURE SWITCH XMLB 4 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB010A2S11025	SETTING PRESS SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a)
XMLB010A2S12	PRESSURE SWITCH A.D. 10B	RoHS compliant with exemptions	III-6(a)
XMLB010A2S12EX	PRESSURE SWITCH A D 10B	RoHS compliant with exemptions	III-6(a)
XMLB010A2S13	PRESSURE SWITCH A.D. 10B	RoHS compliant with exemptions	III-6(a)
XMLB010C2S11	PRESSURE SWITCH XMLB 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLBL35R2S11	PRESSURE SWITCH XMLB 350 MBAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLBL35R2S13	PRESSUR SWITCH A.D.350MB	RoHS compliant with exemptions	III-6(a)
XMLBM02V2S12	VACUUM A.D.RED. DIFF.1B	RoHS compliant with exemptions	III-6(a)
XMLBS04B2S11	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a)
XMLBS04B2S12	PRESSURE SWITCH 4 BARM.O.P.30BAR	RoHS compliant with exemptions	III-6(a)
XMLBS35R2S11SCQ	PRESSURE SWITCH 330 MBAR PREADJUSTED PB 0.18 BAR PH0.27 BAR G1/4 1 C/O	RoHS compliant with exemptions	III-6(a)
XMLBS35R2S12	PRESSURE SWITCH 350 MBARM.O.P.30BAR	RoHS compliant with exemptions	III-6(a)
XMLC002B2S11	PRESSURE SWITCH XMLC 2.5 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XMLC002B2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a)
XMLC004B2S11	PRESSURE SWITCH XMLC 4 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a)
XMLC004B2S11045	SPECIFIC PRESSURE SWITCH XMLC 4 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 O	RoHS compliant with exemptions	III-6(a)
XMLC004B2S11SA9	SPECIFIC PRESSURE SWITCH 4 BAR ADJUSTABLE HIGH PT 3 BAR LOW PT 2.5 BAR	RoHS compliant with exemptions	III-6(a)
XMLC004B2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a)
XMLCM05A2S11	PRESSOSTAT	RoHS compliant with exemptions	III-6(a)
XMLCS04B2S12	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a)
XMLCS10A2S11	PRESSURE SWITCH XMLC 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a)
XMLCS35R2S11SC8	PRESSURE SWITCH XMLC 2 PRESET PRESSURE 2 NONC 180 MB 270 MB	RoHS compliant with exemptions	III-6(a)
XMLCS35R2S12	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a)
XMLCS35R2S13	PRESSURE SWITCH ADJUST SCALE 2 THRESHOLDS 1O1C M.O.P.30BS13	RoHS compliant with exemptions	III-6(a)
XMLCS35R2S13SB9	PRESS SWITCH	RoHS compliant with exemptions	III-6(a)
XMLDL35R1S12	PRESSURE SWITCH XMLD 350MBAR 2 STAGES FIXED SCALE 20C	RoHS compliant with exemptions	III-6(a)
XMLDM02V1S11	VACUUM SWITCH XMLD 1 BAR 2STAGES FIXED SCALE 20C	RoHS compliant with exemptions	III-6(a)
XMLB004A2S11SCN	PRESS SWIT XMLB4 BARADJUSTBLERA	RoHS compliant with exemptions	III-6(a)
XMLB004C2C11	PRESSURE SWITCH XMLB 4 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLB010C2C11	PRESSURE SWITCH XMLB 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a)
XMLC010C2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a)
XMLA020C2S11	PRESSURE SWITCH XMLA 20 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLBS02B2S11	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S11	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S12	PRESSURE SWITCH M.O.P.30B	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S11SC9	PRESSURE SWITCH XMLC 2 PRESET PRESSURE 2 NONC 550 MB 700 MB	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S12SB5	PRESSURE SWITCH M.O.P.30BADJUSTED	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S13	PRESSURE SWITCH ADJUST SCALE 2 THRESHOLDS 1O1 C M.O.P.30BS13	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S13SBG	PRESS SWITCH PRESET PB 1B PH1,4B	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S12SCR	PRESSURE SWITCH OVERPRESSURE 30B PREADJ	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLCS02B2S12SCS	PRESSURE SWITCH OVERPRESSURE 30B PREADJ	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLA020P2S12	PRESSURE SWITCH N.A.D 20B	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB010A2S11022	SETTING PRESS SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB010A2S11030	SETTING PRESSURE SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB010A2S11031	SETTING PRESS SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB010A2S11032	SETTING PRESS SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB010A2S11033	SETTING PRESSURE SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB010A2S11034	SETTING PRESS SWITCH FORALSTOM	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB020C2S11	PRESSURE SWITCH XMLB 20 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLB020C2S12	PRESSURE SWITCH A.D. 20B	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLC010A2S11035	PRESSURE SWITCH	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLD020C1S12	PRESSURE SWITCH XMLD 20 BAR2 STAGES FIXED SCALE 20C	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLC010B2S11SC7	SPECIFIC PRESS SWIT 4BARADJUST	RoHS compliant with exemptions	III-6(a); III-6(b)
XMLA020A2S11	PRESSURE SWITCH XMLA 20 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA020A2C11	PRESSURE SWITCH XMLA 20 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB020A2S11	PRESSURE SWITCH XMLB 20 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA035A2S11	PRESSURE SWITCH XMLA 35 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB035A2S11	PRESSURE SWITCH XMLB 35 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA035A2C11	PRESSURE SWITCH XMLA 35 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA035A2S12	PRESSUR SWITCH N.A.D 35B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA035A2S14	PRESSUR SWITCH N.A.D 35B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB035A2C11	PRESSURE SWITCH XMLB 35 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB035A2C11026	PRESSURE SWITCH	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA020A2S12	PRESSUR SWITCH N.A.D 20B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA020A2S13	PRESSUR SWITCH N.A.D 20B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XMLA020B2C11	PRESSURE SWITCH XMLA 20 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA020B2S11	PRESSURE SWITCH XMLA 20 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA020B2S12	PRESSURE SWITCH N.A.D 20B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA010A1S11040	PRESSURE SWITCH	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB020A2S12	PRESSURE SWITCH A.D. 20B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB020A2S12EX	PRESSURE SWITCH A D 20B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB020A2S13	PRESSURE SWITCH A.D. 20B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB020B2S11	PRESSURE SWITCH XMLB 20 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLC020B2S11	PRESSURE SWITCH XMLC 20 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLC020B2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLB010B2S11SCH	SET PRESS SWITCH PH7,1 B PB 6,1B	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA010A2S11SBV	PRESS SWITCH PREADJUSTEDTO3.5BAR	RoHS compliant with exemptions	III-6(a); III-6(b); III-6(c)
XMLA160D2S11	PRESSURE SWITCH XMLA 160 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160D2C11	PRESSURE SWITCH XMLA 160 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300D2C11	PRESSURE SWITCH XMLA 300 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300D2S11	PRESSUR SWITCH N.A.D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300D2S12	PRESSUR SWITCH N.A.D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300D2S13	PRESSUR SWITCH N.A.D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA500D2S11	PRESSURE SWITCH XMLA 500 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB160D2S11	PRESSURE SWITCH XMLB 160 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2S11	PRESSURE SWITCH XMLB 300 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070D2S11	PRESSURE SWITCH XMLA 70 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB070D2S11	PRESSURE SWITCH XMLB 70 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160D2S12	PRESSUR SWITCH N.A.D 160B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC010B2S11	PRESSURE SWITCH XMLC 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA002A2C11	PRESSURE SWITCH XMLA 2.5 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA004A2C11	PRESSURE SWITCH XMLA 4 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA004B2S11	PRESSURE SWITCH XMLA 4 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA010A2C11	PRESSURE SWITCH XMLA 10 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA010B2S11	PRESSURE SWITCH XMLA 10 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA035B2C11	PRESSURE SWITCH XMLA 35 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA035B2S11	PRESSURE SWITCH XMLA 35 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA035C2C11	PRESSURE SWITCH XMLA 35 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070N2S11	PRESSURE SWITCH XMLA 70 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070N2S12	PRESSURE SWITCH N.A.D 70B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160D2S13	PRESSUR SWITCH N.A.D 160B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160D2S14	PRESSUR SWITCH N.A.D 160B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160N2C11	PRESSURE SWITCH XMLA 160 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160N2S11	PRESSURE SWITCH XMLA 160 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300D2S14	PRESSUR SWITCH N.A.D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300E2S11	PRESSUR SWITCH N.A.D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300E2S12	PRESSUR SWITCH N.A.D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA300N2S11	PRESSURE SWITCH XMLA 300 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA500D2S12	PRESSUR SWITCH N.A.D.500B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA500D2S13	PRESSUR SWITCH N.A.D.500B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA500D2S14	PRESSUR SWITCH N.A.D.500B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA500N2C11	PRESSURE SWITCH XMLA 500 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA500N2S11	PRESSURE SWITCH XMLA 500 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB004A2C11	PRESSURE SWITCH XMLB 4 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB010A2C11	PRESSURE SWITCH XMLB 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB010A2C11027	PRESSURE SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB010B2S11	PRESSURE SWITCH XMLB 10 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB035B2S11	PRESSURE SWITCH XMLB 35 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB070N2S11	PRESSURE SWITCH XMLB 70 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XMLB160D2C11	PRESSURE SWITCH XMLB 160 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB160D2S12	PRESSURE SWITCH A.D.160 B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB160N2S11	PRESSURE SWITCH XMLB 160 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2C11	PRESSURE SWITCH XMLB 300 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2S11023	PRESSURE SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2S11SA4	PRESSURE SWITCH 300B CT UNIP OF WITH ADJUSTEMENT PB 120 AND PH159	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2S12	PRESSURE SWITCH A.D. 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2S12EX	PRESSURE SWITCH A D 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300D2S14	PRESSURE SWITCH A.D. 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB300N2S12	PRESSURE SWITCH A.D. 300B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB500D2C11	PRESSURE SWITCH XMLB 500 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB500D2S11	PRESSURE SWITCH XMLB 500 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB500D2S12	PRESSURE SWITCH A.D. 500B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB500N2C11	PRESSURE SWITCH XMLB 500 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB500N2S11	PRESSURE SWITCH XMLB 500 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLB500N2S12	PRESSURE SWITCH A.D 500B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLBM02V2C11	VACUUM SWITCH XMLB 1 BAR ADJUSTABLE SCALE 2 THRESHOLDS 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC010B2S11SBJ	PRESS SWIT XMLC 10 BAR ADJUSTS	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC010B2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC035B2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC160D2S11	PRESSURE SWITCH XMLC 160 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC160D2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC300D2S11	PRESSURE SWITCH XMLC 300 BAR ADJUSTABLE SCALE 2 THRESHOLDS 2 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC300D2S12	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLC300D2S13	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLD010B1S11	PRESSURE SWITCH XMLD 10 BAR2 STAGES FIXED SCALE 2OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLD160D1S13	PRESSOSTAT	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLD500D1S11	PRESSURE SWITCH XMLD 500BAR 2 STAGES FIXED SCALE 2OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070D2C11	PRESSURE SWITCH XMLA 70 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070D2S12	PRESSUR SWITCH N.A.D 70B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070D2S13	PRESSUR SWITCH N.A.D 70B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070D2S14	PRESSUR SWITCH N.A.D 70B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070E2S11	PRESSURE SWITCH XMLA 70 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA070E2S13	PRESSUR SWITCH N.A.D 70B	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLA160E2S11	PRESSURE SWITCH XMLA 160 BARFIXED SCALE 1 THRESHOLD 1 OC	RoHS compliant with exemptions	III-6(a); III-6(c)
XMLD035B1S11	PRESSURE SWITCH XMLD 35 BAR2 STAGES FIXED SCALE 2OC	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France