

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XS4P30AB9D2	PROXIMITY SWITCHES 6M CABLE MOLEX CONNECTOR	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XS4P18MA230L01B	INDUCTIVE SENSOR XS4 CYLINDRICAL LONG DIA18 SN 8 MM REMOTE PG 11CONNE	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XS4P18PA340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12KP340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12MA230K	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12NA340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12PA340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12PA370D	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12PC410D	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18AB120M12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC 4 20MA NON FLUSH WITH M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18KP340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18MA230K	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18MB230K	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18NA340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18NB340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18PA370D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18PB370D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18PC410D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30KP340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30MA230K	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30PA340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30PA370D	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30PB370D	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30AB120SE7	INDUCTIVE SENSOR CYLIND M30 12 24V DC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30AB9E8	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30MA230L01C	INDUCTIVE SENSOR XS4 CYLINDRICAL LONG DIA30 SN15 MM REMOTE PG11CONNEC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30MA230L01G	INDUCTIVE SENSOR XS4 CYLINDRICAL DIA30 SN 15 MM REMOTE M18 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P08PA340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12PB340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS4P18PB340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30PB340D	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P30PC410D	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P08PA340S	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P12MA230LD	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS4P18AB120	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 0.8 TO 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12AB120	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 0.4 TO 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18AB110	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 0.8 TO 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12AB110	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 0.4 TO 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12AB120L1	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC ANALOGICAL	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12KP340	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12KP340L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18AB110L1	PROXIMITY SWITCHES	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18AB120L1	DDPI ANALOGIC M18 SN=8MM 10-38V DC 4-20MA	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18AB120L2	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18AB9DV	PROXIMITY SWITCHES	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18KP340	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18KP340L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30AB110	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 1.5 TO 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30AB120	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 1.5 TO 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30KP340	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30NA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08PA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12MA230	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18MA230	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18MA230L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30MA230	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30MB230	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12NA9CXTQ	DETECTOR 6M CABLE GREEN LED	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PA340L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PA370L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08NB340	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS4P08PA340L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08PA340L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08PA340P1	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08PA370E1	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08PA370L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12MB230	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12NA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PA340P1	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PA370	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PA370L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PB340	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P12PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18MA230L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18MB230	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18MB230L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18NA340	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PA340L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PA370	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PA370E1	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PA370L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PA370L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PB340L1	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH 5M CA	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PB370E1	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PB370L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P18PB370L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30MA230L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30MA230L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30MB230L1	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30MB230L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PA340L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PA340P1	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	RoHS compliant with exemptions	III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS4P30PA370	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PA370L2	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PA370L5	PROXIMITY SWITCH IND.	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PB340	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PB370	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PB370L2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3WIRES NON FLUSH 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P30PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08MA230	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS4P08MB230	INDUCTIVE SENSOR XS4 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France