

Date: 28/02/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Marilidia CLOTTEAU
Sustainability & Product Management Director
Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XCSPA591	limit switch for safety application XCSPA operating key 1 NC and 1 NO	RoHS compliant with exemption(s)	III-6(a)
XCSPA791	limit switch for safety application XCSPA operating key 2 NC	RoHS compliant with exemption(s)	III-6(a)
XCSPA592	limit switch for safety application XCSPA operating key 1 NC and 1 NO	RoHS compliant with exemption(s)	III-6(a)
XCSPA593	limit switch for safety application XCSPA operating key 1 NC and 1 NO	RoHS compliant with exemption(s)	III-6(a)
XCSPA792	limit switch for safety application XCSPA operating key 2 NC	RoHS compliant with exemption(s)	III-6(a)
XCSTA791	limit switch for safety application XCSTA operating key 2 NC and 1 NO	RoHS compliant with exemption(s)	III-6(a)
XCSPA793	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 2 NC	RoHS compliant with exemption(s)	III-6(a)
XCSPA992	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPA492	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPA292	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSTA792	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 2 NC AND 1 NO	RoHS compliant with exemption(s)	III-6(a)
XCSTR752	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 2 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSPA991	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSTR852	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 3 NC	RoHS compliant with exemption(s)	III-6(a)
XCSTA793	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 2 NC AND 1 NO	RoHS compliant with exemption(s)	III-6(a)
XCSTA891	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 3 NC	RoHS compliant with exemption(s)	III-6(a)
XCSTA591	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 1 NC AND 2 NO	RoHS compliant with exemption(s)	III-6(a)
XCSTA892	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 3 NC	RoHS compliant with exemption(s)	III-6(a)
XCSTA592	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 1 NC AND 2 NO	RoHS compliant with exemption(s)	III-6(a)
XCSPA691	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 1 NO AND 1 NC	RoHS compliant with exemption(s)	III-6(a)
XCSPA692	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 1 NO AND 1 NC	RoHS compliant with exemption(s)	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSTA893	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 3 NC	RoHS compliant with exemption(s)	III-6(a)
XCSPA192	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPA491	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSP1981	SAFE SWITCH WITH ELBO LEVER	RoHS compliant with exemption(s)	III-6(a)
XCSPR952	SAFETY HINGE SWITCH L = 30 MM	RoHS compliant with exemption(s)	III-6(a)
XCSPA892	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSTR853	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 3 NC	RoHS compliant with exemption(s)	III-6(a)
XCSPR951	SAFETY HINGE SWITCH L = 30 MM	RoHS compliant with exemption(s)	III-6(a)
XCSPA891	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPA291	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPA191	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPA693	LIMIT SWITCH FOR SAFETY APPLICATION XCSPA OPERATING KEY 1 NO AND 1 NC	RoHS compliant with exemption(s)	III-6(a)
XCSTR751	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 2 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSP1962	SAFE SWITCH WITH STRA LEVER	RoHS compliant with exemption(s)	III-6(a)
XCSTR551	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 1 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSTR851	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 3 NC	RoHS compliant with exemption(s)	III-6(a)
XCSTA593	LIMIT SWITCH FOR SAFETY APPLICATION XCSTA OPERATING KEY 1 NC AND 2 NO	RoHS compliant with exemption(s)	III-6(a)
XCSTR552	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 1 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSPA893	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSTR753	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 2 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSPA391	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSP1862	SAFE SWITCH WITH STRA LEVER	RoHS compliant with exemption(s)	III-6(a)
XCSTR562	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 80 MM 1 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSPA493	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSPR851	SAFETY HINGE SWITCH L = 30 MM	RoHS compliant with exemption(s)	III-6(a)
XCSPA591L001	IDP SAF KEY 83 893 001	RoHS compliant with exemption(s)	III-6(a)
XCSPA791L001	IDP SAF KEY 83 893 010	RoHS compliant with exemption(s)	III-6(a)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSPA993	PLAST SAFE SWITCH NO LOC	RoHS compliant with exemption(s)	III-6(a)
XCSTR553	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 30 MM 1 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSTR762	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 80 MM 2 NC AND	RoHS compliant with exemption(s)	III-6(a)
XCSTR862	LIMIT SWITCH FOR SAFETY APPLICATION XCSTR ROTARY AXIS 80 MM 3 NC	RoHS compliant with exemption(s)	III-6(a)

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XCSPR752	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 2 NC	RoHS compliant without exemption	None
XCSP561	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSP571	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPR751	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 2 NC	RoHS compliant without exemption	None
XCSPR551	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 1 NC AND	RoHS compliant without exemption	None
XCSP562	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSP572	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSP562	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSP563	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSP572	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPR753	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 2 NC	RoHS compliant without exemption	None
XCSP581	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPR552	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 30 MM 1 NC AND	RoHS compliant without exemption	None
XCSP561	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSP582	LIMIT SWITCH FOR SAFETY APPLICATION XCSP5 ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSPL572	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL781	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL552	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL571	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL791	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPR562	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY AXIS 80 MM 1 NC AND	RoHS compliant without exemption	None
XCSPL782	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL551	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL593	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL553	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL771	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL591	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL592	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPR762	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY AXIS 80 MM 2 NC	RoHS compliant without exemption	None
XCSPL792	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL1587872	SAFETY SWITCH WITH LEVEL	RoHS compliant without exemption	None
XCSPL583	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPR561	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY AXIS 80 MM 1 NC AND	RoHS compliant without exemption	None
XCSPL773	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL763	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPR553	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY AXIS 30 MM 1 NC AND	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSPR761	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 80 MM 2 NC	RoHS compliant without exemption	None
XCSPR763	LIMIT SWITCH FOR SAFETY APPLICATION XCSPR ROTARY AXIS 80 MM 2 NC	RoHS compliant without exemption	None
XCSPL573	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 1 NC AND 1 NO	RoHS compliant without exemption	None
XCSPL753	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL783	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None
XCSPL793	LIMIT SWITCH FOR SAFETY APPLICATION XCSPL ROTARY LEVER 2 NC	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France