

Date: 28/02/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Marilidia CLOTTEAU
Sustainability & Product Management Director
Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XUSL4E30H061N	SAFETY LC E T4 R30 H610 D4-12M	RoHS compliant without exemption	None
XUSL4E30H121N	SAFETY LC E T4 R30 H1210 D4-12M	RoHS compliant without exemption	None
XUSL4E30H091N	SAFETY LC E T4 R30 H910 D4-12M	RoHS compliant without exemption	None
XUSL4E30H181N	SAFETY LC E T4 R30 H1810 D4-12M	RoHS compliant without exemption	None
XUSL4E30H046N	SAFETY LC E T4 R30 H460 D4-12M	RoHS compliant without exemption	None
XUSL4E4BB091N	SAFETY LC E T4 4B H910 D4-12M	RoHS compliant without exemption	None
XUSL4E30H106N	SAFETY LC E T4 R30 H1060 D4-12M	RoHS compliant without exemption	None
XUSL4E30H151N	SAFETY LC E T4 R30 H1510 D4-12M	RoHS compliant without exemption	None
XUSL4E14F031N	SAFETY LC E T4 R14 H310 D3-6M	RoHS compliant without exemption	None
XUSL4E30H076N	SAFETY LC E T4 R30 H760 D4-12M	RoHS compliant without exemption	None
XUSL4E3BB081N	SAFETY LC E T4 3B H810 D4-12M	RoHS compliant without exemption	None
XUSL4E2BB051N	SAFETY LC E T4 2B H510 D4-12M	RoHS compliant without exemption	None
XUSL4E14F061N	SAFETY LC E T4 R14 H610 D3-6M	RoHS compliant without exemption	None
XUSL4E14F046N	SAFETY LC E T4 R14 H460 D3-6M	RoHS compliant without exemption	None
XUSL4E30H166N	SAFETY LC E T4 R30 H1660 D4-12M	RoHS compliant without exemption	None
XUSL2E30H061N	SAFETY LC E T2 R30 H610 D4-12M	RoHS compliant without exemption	None
XUSL2E4BB091N	SAFETY LC E T2 4B H910 D4-12M	RoHS compliant without exemption	None
XUSL4E2BB051L	SAFETY LC E T4 2B H510 D10-20M	RoHS compliant without exemption	None
XUSL4E30H031N	SAFETY LC E T4 R30 H310 D4-12M	RoHS compliant without exemption	None
XUSL4E14F091N	SAFETY LC E T4 R14 H910 D3-6M	RoHS compliant without exemption	None
XUSL2E30H046N	SAFETY LC E T2 R30 H460 D4-12M	RoHS compliant without exemption	None
XUSL2P30H046SSE	SAFETY LIGHT CURTAIN H=460MM	RoHS compliant without exemption	None
XUSL4E14F016N	SAFETY LC E T4 R14 H160 D3-6M	RoHS compliant without exemption	None
XUSL2E30H151N	SAFETY LC E T2 R30 H1510 D4-12M	RoHS compliant without exemption	None
XUSL2E30H121N	SAFETY LC E T2 R30 H1210 D4-12M	RoHS compliant without exemption	None
XUSL2E30H181N	SAFETY LC E T2 R30 H1810 D4-12M	RoHS compliant without exemption	None
XUSL2E30H026NDZ	XUSL type 2 Hand protection Std sensing range Hp 260 mm, R 30mm	RoHS compliant without exemption	None
XUSL2E30H091N	SAFETY LC E T2 R30 H910 D4-12M	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSL4E30H136N	SAFETY LC E T4 R30 H1360 D4-12M	RoHS compliant without exemption	None
XUSL4E14F106N	SAFETY LC E T4 R14 H1060 D3-6M	RoHS compliant without exemption	None
XUSL4E14F076N	SAFETY LC E T4 R14 H760 D3-6M	RoHS compliant without exemption	None
XUSL4E30H076LWH	SAFETY LC E T4 R30 H760 D8-17M IP69H	RoHS compliant without exemption	None
XUSL2E30H106N	SAFETY LC E T2 R30 H1060 D4-12M	RoHS compliant without exemption	None
XUSL2E30H026N	SAFETY LC E T2 R30 H260 D4-12M	RoHS compliant without exemption	None
XUSL4E14F181N	SAFETY LC E T4 R14 H1810 D3-6M	RoHS compliant without exemption	None
XUSL2E30H076N	SAFETY LC E T2 R30 H760 D4-12M	RoHS compliant without exemption	None
XUSL2E3BB081N	SAFETY LC E T2 3B H810 D4-12M	RoHS compliant without exemption	None
XUSL4E30H016N	SAFETY LC E T4 R30 H160 D4-12M	RoHS compliant without exemption	None
XUSL4E3BB081L	SAFETY LC E T4 3B H810 D10-20M	RoHS compliant without exemption	None
XUSL4E30H151L	SAFETY LC E T4 R30 H1510 D10-20M	RoHS compliant without exemption	None
XUSL4E30H076NTQ	SAFETY LIGHT CURTAIN H=760MM E T4 R30 D4-12M BULK PACKAGING MOQ25	RoHS compliant without exemption	None
XUSL4E30H061L	SAFETY LC E T4 R30 H610 D10-20M	RoHS compliant without exemption	None
XUSL2E30H031N	SAFETY LC E T2 R30 H310 D4-12M	RoHS compliant without exemption	None
XUSL4E4BB091L	SAFETY LC E T4 4B H910 D10-20M	RoHS compliant without exemption	None
XUSL2E2BB051N	SAFETY LC E T2 2B H510 D4-12M	RoHS compliant without exemption	None
XUSL2E30H016N	SAFETY LC E T2 R30 H160 D4-12M	RoHS compliant without exemption	None
XUSL4E14F151N	SAFETY LC E T4 R14 H1510 D3-6M	RoHS compliant without exemption	None
XUSL4E30H106LWH	SAFETY LC E T4 R30 H1060 D8-17M IP69H	RoHS compliant without exemption	None
XUSL4E30H076L	SAFETY LC E T4 R30 H760 D10-20M	RoHS compliant without exemption	None
XUSL4E30H106L	SAFETY LC E T4 R30 H1060 D10-20M	RoHS compliant without exemption	None
XUSL4E30H136L	SAFETY LC E T4 R30 H1360 D10-20M	RoHS compliant without exemption	None
XUSL4E30H151NTQ	SAFETY LIGHT CURTAIN H=1510MM E T4 R30 D4-12M BULK PACKAGING MOQ25	RoHS compliant without exemption	None
XUSL4E30H106LWC	SAFETY LC E T4 R30 H1060 D8-17M IP69	RoHS compliant without exemption	None
XUSL4E30H181L	SAFETY LC E T4 R30 H1810 D10-20M	RoHS compliant without exemption	None
XUSL4E30H026N	SAFETY LC E T4 R30 H260 D4-12M	RoHS compliant without exemption	None
XUSL4E14F121N	SAFETY LC E T4 R14 H1210 D3-6M	RoHS compliant without exemption	None
XUSL2E30H136N	SAFETY LC E T2 R30 H1360 D4-12M	RoHS compliant without exemption	None
XUSL4E30H046L	SAFETY LC E T4 R30 H460 D10-20M	RoHS compliant without exemption	None
XUSL2E30H166N	SAFETY LC E T2 R30 H1660 D4-12M	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSL4E14F166N	SAFETY LC E T4 R14 H1660 D3-6M	RoHS compliant without exemption	None
XUSL4E30H091LWH	SAFETY LC E T4 R30 H910 D8-17M IP69H	RoHS compliant without exemption	None
XUSL2P30H031SSE	SAFETY LIGHT CURTAIN H=310MM	RoHS compliant without exemption	None
XUSL4E30H091L	SAFETY LC E T4 R30 H910 D10-20M	RoHS compliant without exemption	None
XUSL4E30H061S88	KIT: XUSL Sn 20m + access fixed 180	RoHS compliant without exemption	None
XUSL4E30H031L	SAFETY LC E T4 R30 H310 D10-20M	RoHS compliant without exemption	None
XUSL4E30H166L	SAFETY LC E T4 R30 H1660 D10-20M	RoHS compliant without exemption	None
XUSL4E30H121L	SAFETY LC E T4 R30 H1210 D10-20M	RoHS compliant without exemption	None
XUSL4MA4BB091N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 4B H=91CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H181N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=181CM D4-12M	RoHS compliant without exemption	None
XUSL4E14F136N	SAFETY LC E T4 R14 H1360 D3-6M	RoHS compliant without exemption	None
XUSL4E3BB081LWC	SAFETY LC E T4 3B H810 D8-17M IP69	RoHS compliant without exemption	None
XUSL4MA30H091N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H=91CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H121N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H121CM D4-12M	RoHS compliant without exemption	None
XUSL4E30H076NS1	SAFETY LC E T4 R30 H760 D4-12M SLAVE1	RoHS compliant without exemption	None
XUSL2E30H061NWH	SAFETY LC E T2 R30 H610 D3-10M IP69H	RoHS compliant without exemption	None
XUSL4MA30H046N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H=46CM D4-12M	RoHS compliant without exemption	None
XUSL4MA3BB081N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 3B H=81CM D4-12M	RoHS compliant without exemption	None
XUSL2E30H106NWC	SAFETY LC E T2 R30 H1060 D3-10M IP69	RoHS compliant without exemption	None
XUSL4E30H076NM	SAFETY LC E T4 R30 H760 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4MA2BB051N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 2B H=51CM D4-12M	RoHS compliant without exemption	None
XUSL4E30H016L	SAFETY LC E T4 R30 H160 D10-20M	RoHS compliant without exemption	None
XUSL4E4BB091LWH	SAFETY LC E T4 4B H910 D8-17M IP69H	RoHS compliant without exemption	None
XUSL4E30H106NM	SAFETY LC E T4 R30 H1060 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4MA40H226N	SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

	HARDWARE/SOFT CONFIG T4 R40 H226CM D4-12M		
XUSL4MA30H151N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H151CM D4-12M	RoHS compliant without exemption	None
XUSL4MB3BB081N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 3B H=81CM D4-12M	RoHS compliant without exemption	None
XUSL4E30H181LWC	SAFETY LC E T4 R30 H1810 D10- 20M IP69	RoHS compliant without exemption	None
XUSL4MB2BB051N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 2B H=51CM D4-12M	RoHS compliant without exemption	None
XUSL4MB4BB091N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 4B H=091 D4-12M	RoHS compliant without exemption	None
XUSL4E14F046NM	SAFETY LC E T4 R14 H460 D3-6M MASTER	RoHS compliant without exemption	None
XUSL4E14F046NWH	SAFETY LC E T4 R14 H460 D2-5M IP69H	RoHS compliant without exemption	None
XUSL4E14F031NWH	SAFETY LC E T4 R14 H310 D2-5M IP69H	RoHS compliant without exemption	None
XUSL4E14F046NS2	SAFETY LC E T4 R14 H460 D3-6M SLAVE2	RoHS compliant without exemption	None
XUSL4E30H061LWH	SAFETY LC E T4 R30 H610 D8-17M IP69H	RoHS compliant without exemption	None
XUSL2E30H091NWC	SAFETY LC E T2 R30 H910 D3-10M IP69	RoHS compliant without exemption	None
XUSL4MA30H031N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H=31CM D4-12M	RoHS compliant without exemption	None
XUSL4MA30H061N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H=61CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H031N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=31CM D4-12M	RoHS compliant without exemption	None
XUSL4E30H091LWC	SAFETY LC E T4 R30 H910 D8-17M IP69	RoHS compliant without exemption	None
XUSL4MA40H136N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H136CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H136N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=136CM D4-12M	RoHS compliant without exemption	None
XUSL4E14F076NS1	SAFETY LC E T4 R14 H760 D3-6M SLAVE1	RoHS compliant without exemption	None
XUSL4MA40H151N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H151CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H106N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=106CM D4-12M	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSL4E14F046NS1	SAFETY LC E T4 R14 H460 D3-6M SLAVE1	RoHS compliant without exemption	None
XUSL4MB40H091N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=91CM D4-12M	RoHS compliant without exemption	None
XUSL4E30H046LWH	SAFETY LC E T4 R30 H460 D8-17M IP69H	RoHS compliant without exemption	None
XUSL4E2BB051NS2	SAFETY LC E T4 2B H510 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4E14F031NM	SAFETY LC E T4 R14 H310 D3-6M MASTER	RoHS compliant without exemption	None
XUSL4E2BB051NS1	SAFETY LC E T4 2B H510 D4-12M SLAVE1	RoHS compliant without exemption	None
XUSL4E14F031NS1	SAFETY LC E T4 R14 H310 D3-6M SLAVE1	RoHS compliant without exemption	None
XUSL2E30H046NWC	SAFETY LC E T2 R30 H460 D3-10M IP69	RoHS compliant without exemption	None
XUSL4MB30H046N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=46CM D4-12M	RoHS compliant without exemption	None
XUSL4E30H046NS1	SAFETY LC E T4 R30 H460 D4-12M SLAVE1	RoHS compliant without exemption	None
XUSL2E30H046NWH	SAFETY LC E T2 R30 H460 D3-10M IP69H	RoHS compliant without exemption	None
XUSL2E30H061NWC	SAFETY LC E T2 R30 H610 D3-10M IP69	RoHS compliant without exemption	None
XUSL2E30H076NWC	SAFETY LC E T2 R30 H760 D3-10M IP69	RoHS compliant without exemption	None
XUSL2E30H076NWH	SAFETY LC E T2 R30 H760 D3-10M IP69H	RoHS compliant without exemption	None
XUSL2E30H091NWH	SAFETY LC E T2 R30 H910 D3-10M IP69H	RoHS compliant without exemption	None
XUSL2E30H106NWH	SAFETY LC E T2 R30 H1060 D3-10M IP69H	RoHS compliant without exemption	None
XUSL2P30H046N	SAFETY LIGHT CURTAIN H=460MM P T2 R30 D4	RoHS compliant without exemption	None
XUSL4E14F016S88	KIT SAFETY LIGHT CURTAIN H=160MM	RoHS compliant without exemption	None
XUSL4E14F031NWC	SAFETY LC E T4 R14 H310 D2-5M IP69	RoHS compliant without exemption	None
XUSL4E14F046NWC	SAFETY LC E T4 R14 H460 D2-5M IP69	RoHS compliant without exemption	None
XUSL4E14F061NM	SAFETY LC E T4 R14 H610 D3-6M MASTER	RoHS compliant without exemption	None
XUSL4E14F061NS1	SAFETY LC E T4 R14 H610 D3-6M SLAVE1	RoHS compliant without exemption	None
XUSL4E14F061NS2	SAFETY LC E T4 R14 H610 D3-6M SLAVE2	RoHS compliant without exemption	None
XUSL4E14F061NWC	SAFETY LC E T4 R14 H610 D2-5M IP69	RoHS compliant without exemption	None
XUSL4E14F061NWH	SAFETY LC E T4 R14 H610 D2-5M IP69H	RoHS compliant without exemption	None
XUSL4E14F076NM	SAFETY LC E T4 R14 H760 D3-6M MASTER	RoHS compliant without exemption	None
XUSL4E14F076NS2	SAFETY LC E T4 R14 H760 D3-6M SLAVE2	RoHS compliant without exemption	None
XUSL4E14F076NWC	SAFETY LC E T4 R14 H760 D2-5M IP69	RoHS compliant without exemption	None
XUSL4E14F076NWH	SAFETY LC E T4 R14 H760 D2-5M IP69H	RoHS compliant without exemption	None
XUSL4E14F091NM	SAFETY LC E T4 R14 H910 D3 6M MASTER	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSL4E14F121NM	SAFETY LIGHT CURTAIN H=1210MM E T4 R14 F NORMAL MASTER	RoHS compliant without exemption	None
XUSL4E14F181NM	SAFETY LIGHT CURTAIN H=1810MM E T4 R14 F NORMAL MASTER	RoHS compliant without exemption	None
XUSL4E2BB051LWC	SAFETY LC E T4 2B H510 D8-17M IP69	RoHS compliant without exemption	None
XUSL4E2BB051LWH	SAFETY LC E T4 2B H510 D8-17M IP69H	RoHS compliant without exemption	None
XUSL4E2BB051NM	SAFETY LC E T4 2B H510 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4E30H046LWC	SAFETY LC E T4 R30 H460 D8-17M IP69	RoHS compliant without exemption	None
XUSL4E30H046NM	SAFETY LC E T4 R30 H460 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4E30H046NS2	SAFETY LC E T4 R30 H460 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4E30H061LWC	SAFETY LC E T4 R30 H610 D8-17M IP69	RoHS compliant without exemption	None
XUSL4E30H061NM	SAFETY LC E T4 R30 H610 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4E30H061NS1	SAFETY LC E T4 R30 H610 D4-12M SLAVE1	RoHS compliant without exemption	None
XUSL4E30H061NS2	SAFETY LC E T4 R30 H610 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4E30H076LWC	SAFETY LC E T4 R30 H760 D8-17M IP69	RoHS compliant without exemption	None
XUSL4E30H076NS2	SAFETY LC E T4 R30 H760 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4E30H091NM	SAFETY LC E T4 R30 H910 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4E30H091NS1	SAFETY LC E T4 R30 H910 D4-12M SLAVE1	RoHS compliant without exemption	None
XUSL4E30H091NS2	SAFETY LC E T4 R30 H910 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4E30H091S88	KIT SAFETY LIGHT CURTAIN H=910MM E T4 R30 D4-12M AND BRACKET XUSZBSS4	RoHS compliant without exemption	None
XUSL4E30H106NS1	SAFETY LC E T4 R30 H1060 D4- 12M SLAVE1	RoHS compliant without exemption	None
XUSL4E30H106NS2	SAFETY LC E T4 R30 H1060 D4- 12M SLAVE2	RoHS compliant without exemption	None
XUSL4E30H121NTQ	SAFETY LIGHT CURTAIN H=1210MM E T4 R30 D4-12M BULK PACKAGING MOQ25	RoHS compliant without exemption	None
XUSL4E30H181LWH	XUSL type 4 Hand IP69K with Heating - Long Sensing Range - Hp = 1810 mm, R=30mm	RoHS compliant without exemption	None
XUSL4E3BB081LWH	SAFETY LC E T4 3B H810 D8-17M IP69H	RoHS compliant without exemption	None
XUSL4E3BB081NM	SAFETY LC E T4 3B H810 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4E3BB081NS1	SAFETY LC E T4 3B H810 D4-12M SLAVE1	RoHS compliant without exemption	None
XUSL4E3BB081NS2	SAFETY LC E T4 3B H810 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4E4BB091LWC	SAFETY LC E T4 4B H910 D8-17M IP69	RoHS compliant without exemption	None
XUSL4E4BB091NM	SAFETY LC E T4 4B H910 D4-12M MASTER	RoHS compliant without exemption	None
XUSL4E4BB091NS1	SAFETY LC E T4 4B H910 D4-12M SLAVE1	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSL4E4BB091NS2	SAFETY LC E T4 4B H910 D4-12M SLAVE2	RoHS compliant without exemption	None
XUSL4MA30H076N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H=76CM D4-12M	RoHS compliant without exemption	None
XUSL4MA30H106N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H106CM D4-12M	RoHS compliant without exemption	None
XUSL4MA30H121N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H121CM D4-12M	RoHS compliant without exemption	None
XUSL4MA30H136N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R30 H136CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H091N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H 91CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H106N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H106CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H166N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H166CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H181N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H181CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H196N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H196CM D4-12M	RoHS compliant without exemption	None
XUSL4MA40H211N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE/SOFT CONFIG T4 R40 H211CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H061N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=61CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H076N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=76CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H091N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=91CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H106N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=106CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H121N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R30 H=121CM D4-12M	RoHS compliant without exemption	None
XUSL4MB30H151N	SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

	HARDWARE CONFIG T4 R30 H=151CM D4-12M		
XUSL4MB40H121N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=121CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H136N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=136CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H151N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=151CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H166N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=166CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H196N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=196CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H211N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=211CM D4-12M	RoHS compliant without exemption	None
XUSL4MB40H226N	SAFETY LIGHT CURTAIN INTEGRATED MUTING HARDWARE CONFIG T4 R40 H=226CM D4-12M	RoHS compliant without exemption	None
XUSL4P30H031N	SAFETY LIGHT CURTAIN H=310MM	RoHS compliant without exemption	None
XUSL4P30H061N	SAFETY LIGHT CURTAIN H=610MM P T4 R30 D4	RoHS compliant without exemption	None
XUSL4T30H016SIT	TYPE 4 30mm HANDS 160MM app_TESSILE	RoHS compliant without exemption	None
XUSL4T30H026SIT	TYPE 4 30mm HANDS 260MM app_TESSILE	RoHS compliant without exemption	None
XUSL4T30H046SIT	TYPE 4 30mm HANDS 460MM app_TESSILE	RoHS compliant without exemption	None
XUSL2E30H061NTQ	Safety light curtain type 2, XUSL Hand protection, Std sensing range, Hp = 610 mm, R=30 mm, MOQ=25pcs	RoHS compliant without exemption	None
XUSL2E30H091NTQ	Safety light curtain type 2, XUSL Hand protection, Std sensing range, Hp = 910 mm, R=30 mm, MOQ=25pcs	RoHS compliant without exemption	None
XUSL2E30H121NTQ	Safety light curtain type 2, XUSL Hand protection, Std sensing range, Hp = 1210 mm, R=30 mm, MOQ=25pcs	RoHS compliant without exemption	None
XUSZAML2PTS	SAFETY LIGHT CURTAIN MUTING ARM L 2PARALLEL MULTI-BEAMS HIGH SPEED CONVEYOR	RoHS compliant without exemption	None
XUSZAMT2XT	SAFETY LIGHT CURTAIN MUTING ARM T 2CROSSED MULTI-BEAMS	RoHS compliant without exemption	None
XUSZAMT4PT	SAFETY LIGHT CURTAIN MUTING ARMS T 4PARALLEL MULTI- BEAMS	RoHS compliant without exemption	None
XUSZAMT4PTS	SAFETY LIGHT CURTAIN MUTING ARM T 4P MULTI-BEAMS HIGH SPEED CONVEYOR	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSZASL2PPS	SAFETY LIGHT CURTAIN MUTING ARM L 2PARALLEL SINGLE BEAM HIGH SPEED CONVEYOR	RoHS compliant without exemption	None
XUSZASL2PPT	SAFETY LIGHT CURTAIN MUTING ARM L 2PARALLEL SINGLE BEAM TRANSPARENT MATERIAL	RoHS compliant without exemption	None
XUSZAST4PPS	SAFETY LIGHT CURTAIN MUTING ARM T 4PARALLEL SINGLE BEAM HIGH SPEED CONVEYOR	RoHS compliant without exemption	None
XUSZAST4PPT	SAFETY LIGHT CURTAIN MUTING ARM T 4PARALLEL SINGLE BEAM TRANSPARENT MATERIAL	RoHS compliant without exemption	None
XUSZBMC6	SET OF 6ADJUSTABLE FASTENING BRACKETS FOR SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None
XUSZMD016	SAFETY_LC DEFLECTIVE MIRROR PH 160MM	RoHS compliant without exemption	None
XUSZMF138	SAFETY_LC COLUMN WITH MIRROR 1385MM	RoHS compliant without exemption	None
XUSZPM5BXPL09	MULTIBEAMS SENSORS FOR MUTING ARM B CODING	RoHS compliant without exemption	None
XUSZSC105R	SAFETY_LC COLUMN W_O MIRROR 1055MM PG11	RoHS compliant without exemption	None
XUSZSC172R	SAFETY_LC COLUMN W_O MIRROR 1725MM PG11	RoHS compliant without exemption	None
XUSZSM166	COLUMN FOR SAFETY LIGHT CURTAIN INTEGRATED MUTING UP TO 166 CM PROTECTED HEIGHT	RoHS compliant without exemption	None
XUSZSM2B	COLUMN FOR 2 BEAMS SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None
XUSZTR40	SAFETY LIGHT CURTAIN TEST ROD DIAMETER 40MM	RoHS compliant without exemption	None
XUSZWPE015	SAFETY_LC PROTECTIVE SCREEN 150mm	RoHS compliant without exemption	None
XUSZWPE030	SAFETY_LC PROTECTIVE SCREEN 300mm	RoHS compliant without exemption	None
XUSZWPE050	SAFETY LIGHT CURTAIN PROTECTIVE SCREEN 510MM 2 BEAMS	RoHS compliant without exemption	None
XUSZWPE080	SAFETY LIGHT CURTAIN PROTECTIVE SCREEN 810MM 3 BEAMS	RoHS compliant without exemption	None
XUSZWPE090	SAFETY_LC PROTECTIVE SCREEN 900mm	RoHS compliant without exemption	None
XUSZWPE105	SAFETY_LC PROTECTIVE SCREEN 1050mm	RoHS compliant without exemption	None
XUSZWPE165	SAFETY_LC PROTECTIVE SCREEN 1650mm	RoHS compliant without exemption	None
XUSZSC202	SAFETY_LC COLUMN W_O MIRROR 2025MM	RoHS compliant without exemption	None
XUSZBSS4	SAFETY_LC SWIVELLING BRACKETS x4	RoHS compliant without exemption	None
XUSZLPE	SAFETY_LC LASER POINTER FOR MODELS E	RoHS compliant without exemption	None
XUSZFB2	SAFETY_LC FIXING BASE 2 PLATES	RoHS compliant without exemption	None
XUSZSS125	SAFETY_LC SPL COLUMN W_O MIRROR 1255MM	RoHS compliant without exemption	None
XUSZSC138	SAFETY_LC COLUMN W_O MIRROR 1385MM	RoHS compliant without exemption	None
XUSZBSC4	SAFETY_LC CURVED BRACKETS x4	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSZFB1	SAFETY_LC FIXING BASE 1 PLATE	RoHS compliant without exemption	None
XUSZMF202	SAFETY_LC COLUMN WITH MIRROR 2025MM	RoHS compliant without exemption	None
XUSZMD061	SAFETY_LC DEFLECTIVE MIRROR PH 610MM/2B	RoHS compliant without exemption	None
XUSZMD046	SAFETY_LC DEFLECTIVE MIRROR PH 460MM	RoHS compliant without exemption	None
XUSZASL2XT	SAFETY LIGHT CURTAIN MUTING ARM L 2CROSSED SINGLE BEAM	RoHS compliant without exemption	None
XUSZMD076	SAFETY_LC DEFLECTIVE MIRROR PH 760MM	RoHS compliant without exemption	None
XUSZAML2XP	SAFETY LIGHT CURTAIN MUTING ARM L 2 PARALLEL MULTI-BEAMS	RoHS compliant without exemption	None
XUSZAST4PP	SAFETY LIGHT CURTAIN MUTING ARM T 4PARALLEL SINGLE BEAM	RoHS compliant without exemption	None
XUSZMD091	SAFETY_LC DEFLECTIVE MIRROR PH 910MM/3B	RoHS compliant without exemption	None
XUSZAST2XT	SAFETY LIGHT CURTAIN MUTING ARM T 2CROSSED SINGLE BEAM	RoHS compliant without exemption	None
XUSZMD121	SAFETY_LC DEFLECTIVE MIRROR PH 1210MM	RoHS compliant without exemption	None
XUSZMD151	SAFETY_LC DEFLECTIVE MIRROR PH 1510MM	RoHS compliant without exemption	None
XUSZTR14	SAFETY_LC TEST ROD DIAM14MM	RoHS compliant without exemption	None
XUSZMD181	SAFETY_LC DEFLECTIVE MIRROR PH 1810MM	RoHS compliant without exemption	None
XUSZMF125	SAFETY_LC COLUMN WITH MIRROR 1255MM	RoHS compliant without exemption	None
XUSZSC138R	SAFETY_LC COLUMN W_O MIRROR 1385MM PG11	RoHS compliant without exemption	None
XUSZMD166	SAFETY_LC DEFLECTIVE MIRROR PH 1660MM	RoHS compliant without exemption	None
XUSZSC172	SAFETY_LC COLUMN W_O MIRROR 1725MM	RoHS compliant without exemption	None
XUSZVA8	SAFETY_LC SHOCK_ABSORBERx8	RoHS compliant without exemption	None
XUSZASL2PP	SAFETY LIGHT CURTAIN MUTING ARM L 2PARALLEL SINGLE BEAM	RoHS compliant without exemption	None
XUSZTR30	SAFETY_LC TEST ROD DIAM30MM	RoHS compliant without exemption	None
XUSZBKSSE	LIGHT CURTAIN MOUNTING ACCESSORIES KIT S	RoHS compliant without exemption	None
XUSZWPEFC	SAFETY_LC PROTECTIVE SCREEN FIX CLAMPS	RoHS compliant without exemption	None
XUSZSC202R	SAFETY_LC COLUMN W_O MIRROR 2025MM PG11	RoHS compliant without exemption	None
XUSZSM3B	COLUMN FOR 3 BEAMS SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None
XUSZSM136	COLUMN FOR SAFETY LIGHT CURTAIN INTEGRATED MUTING UP TO 136 CM PROTECTED HEIGHT	RoHS compliant without exemption	None
XUSZVA12	SAFETY_LC SHOCK_ABSORBERx12	RoHS compliant without exemption	None
XUSZMD106	SAFETY_LC DEFLECTIVE MIRROR PH 1060MM/4B	RoHS compliant without exemption	None
XUSZBSC6	SAFETY_LC CURVED BRACKETS x6	RoHS compliant without exemption	None
XUSZMD136	SAFETY_LC DEFLECTIVE MIRROR PH 1360MM	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUSZMF172	SAFETY_LC COLUMN WITH MIRROR 1725MM	RoHS compliant without exemption	None
XUSZSC105	SAFETY_LC COLUMN W_O MIRROR 1055MM	RoHS compliant without exemption	None
XUSZSM4B	COLUMN FOR 4 BEAMS SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None
XUSZVA4	SAFETY_LC SHOCK_ABSORBERx4	RoHS compliant without exemption	None
XUSZBMC4	SET OF 4ADJUSTABLE FASTENING BRACKETS FOR SAFETY LIGHT CURTAIN INTEGRATED MUTING	RoHS compliant without exemption	None
XUSZWPE060	SAFETY_LC PROTECTIVE SCREEN 600mm	RoHS compliant without exemption	None
XUSZMD031	SAFETY_LC DEFLECTIVE MIRROR PH 310MM	RoHS compliant without exemption	None
XUSZWPE045	SAFETY_LC PROTECTIVE SCREEN 450mm	RoHS compliant without exemption	None
XUSZWPE075	SAFETY_LC PROTECTIVE SCREEN 750mm	RoHS compliant without exemption	None
XUSZWPE180	SAFETY_LC PROTECTIVE SCREEN 1800mm	RoHS compliant without exemption	None
XUSZPM5AXPL09	MULTIBEAMS SENSORS FOR MUTING ARM A CODING	RoHS compliant without exemption	None
XUSZWPE120	SAFETY_LC PROTECTIVE SCREEN 1200mm	RoHS compliant without exemption	None
XUSZWPE091	SAFETY LIGHT CURTAIN PROTECTIVE SCREEN 910MM 4 BEAMS	RoHS compliant without exemption	None
XUSZWPE150	SAFETY_LC PROTECTIVE SCREEN 1500mm	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France