

Date: 19/05/2025

Object: Telemecanique\_Sensors\_Products REACh declaration (REACh: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACh regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON  
Head of Telemecanique Sensors PBU  
YAGEO Group

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XCKN2110G11	Limit switch, Limit switches XC Standard, XCKN, metal end plunger, 1NC+1 NO, snap, Pg11	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2110P20	Limit switch, Limit switches XC Standard, XCKN, metal end plunger, 1NC+1 NO, snap, M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2510P20	Limit switch, Limit switches XC Standard, XCKN, metal end plunger, 1NC+1 NO, slow, M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2710P20	Limit switch, Limit switches XC Standard, XCKN, metal end plunger, 2NC, slow, M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2910P20	Limit switch, Limit switches XC Standard, XCKN, metal end plunger, 2NC, snap, M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2110G11SE3	LIMIT SWITCH PLASTIC NO AND NC METAL END	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2110G11C	Limit switch, Limit switches XC Standard, XCKN, metal end plunger, 1NC+1 NO, snap, Pg11	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2153P20C	Limit switch XCKN - steel square rod lever 3 mm - 1NC+1NO - snap - M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2155P20C	LIMIT SWITCH ROD LEVER 1NO 1NC M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2119P20C	LIMITED SWITCH XCKN	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2102P20	Limit switch XCKN roller plunger 1 NC and 1NO	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2102P20C	Limit switch XCKN - plastic roller plunger - 1NC+1NO - snap - M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2102G11	Limit switch XCKN roller plunger 1 NC and 1NO	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2121G11	Limit switch, Limit switches XC Standard, XCKN, thermoplastic plastic roller lever plung. Hor, 1NC+1 NO, snap, Pg11	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2121P20	Limit switch, Limit switches XC Standard, XCKN, thermoplastic plastic roller lever plung. Hor, 1NC+1 NO, snap, M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2121P20C	Limit switch XCKN - th.plastic roller lever Plung. Hor - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145P20C	Limit switch XCKN - th.plastic roller lever Var.length - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118P20C	Limit switch XCKN - thermoplastic roller lever - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118G11C	Limit switch XCKN - thermoplastic roller lever - 1NC+1NO - snap - Pg11	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2143P20C	Limit switch XCKN - th.plastic roller lever Var.length - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145G11C	Limit switch XCKN - th.plastic roller lever Var.length - 1NC+1NO - snap - Pg11	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2149P20C	Limit switch XCKN - plastic roller lever Ø50 Var.length - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145P20F0C	LIMIT SWITCH PLASTIC NO AND NC	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145P20R0C	LIMIT SWITCH PLASTIC NO AND NC	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2144P20F0RC	LIMIT SWITCH PLASTIC NO AND NC	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2144P20R0RC	LIMIT SWITCH PLASTIC NO AND NC	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2149G11C	Limit switch XCK-N - adjustable roller lever Ø50 mm - 1 NC + 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2143G11C	LIMIT SWITCH ADJUST ROLLER LEVER 1NO 1NC PG11	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2144P20C	LIMIT SWITCH	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2103G11	Limit switch XCKN roller plunger for traverse Approach 1 NC and 1 NO	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2103P20	Limit switch XCKN roller plunger for traverse Approach 1 NC and 1 NO	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2121G11R0	LIMIT SWITCH PLASTIC NO AND NC PLASTIC ROLLER LEVER TURNED TO 270°	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2121P16	Limit switch XCKN roller lever plunger - pg16 connector	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2127G11	Limit switch XCKN roller lever plunger, vertical Direction 1 NC and 1	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2127P20	Limit switch XCKN roller lever plunger, vertical Direction 1 NC and 1	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2127P20C	Limit switch XCKN - th.plastic roller lever Plung. Ver - 1NC+1NO - snap - M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2128P16	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER PLUNGER	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2502G11	Limit switch XCKN roller plunger 1NC and 1NO	f8535365-1e52-46a7-89ff-9a894a2743e2

#### TMSS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCKN2502P20	Limit switch XCKN roller plunger 1NC and 1NO	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2503P20	Limit switch XCKN roller plunger for traverse Approach 1NC and 1NO	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2521G11	Limit switch, Limit switches XC Standard, XCKN, thermoplastic plastic roller lever plung. Hor, 1NC+1 NO, slow, Pg11	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2521G11FOTQ	LIMIT SWITCH PLAST 1NO 1NC ORIENT PLAST ROLLER PLUNG HORIZ ACTUATION	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2521P20	Limit switch, Limit switches XC Standard, XCKN, thermoplastic plastic roller lever plung. Hor, 1NC+1 NO, slow, M20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2527P20	Limit switch XCKN roller lever plunger, vertical Direction 1NC and 1N	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2702P20	LS 2NC SLOW BRAKE ROLL PLUNGER P20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2721P20	LS 2NC SLOW BRAKE HORIZ ACT P20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2902G11	LS 2NC SNAP ROLL PLUNGER PG11	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2902P20	LS 2NC SNAP ROLL PLUNGER ISO20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2903P20	LS 2NC SNAP ROLL PLUNGER ISO20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN2921P20	LS 2NC SNAP HORIZ ACT ISO20	f8535365-1e52-46a7-89ff-9a894a2743e2
XCKN3903F12S66	LIMIT SWITCH PLASTIC NO AND NC AND NC STEEL ROLLER PLUNGER PE AZD1830	f8535365-1e52-46a7-89ff-9a894a2743e2

In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.

SVHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
6,6'-di-tert-butyl-2,2'-methylene-di-p-cresol (Cresol)	119-47-1	204-327-1	None

Commercial References	Description	SCIP ID
XCKN2118G11	Limit switch XCKN roller lever 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118P16	Limit switch XCKN - thermoplastic roller lever - 1NC+1NO - snap - M16	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118P20	Limit switch XCKN roller lever 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145G11	Limit switch XCKN adjustable roller lever 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145P20	Limit switch XCKN adjustable roller lever 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2149P20	Limit switch XCKN adjustable roller lever and 50 mm 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2739G110C	LIMIT SWITCH PLASTIC NO AND NC thermoplastic ROLLER LEVER PLUNGER TO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2739G110U	LIMIT SWITCH PLASTIC NO AND NC thermoplastic ROLLER LEVER PLUNGER TO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2539G110F	LIMIT SWITCH PLAST 1NC 1NO SB PLAST ROLLER LEVER DIA50 ORIENT PG11	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN0118P20	METAL LIMIT SWITCH RING TYPE CE CONTACT M20, ROTATIVE HEAD	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2106G11	Limit switch XCKN cat s whisker 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2106P20	Limit switch XCKN cat s whisker 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2106P20C	Limit switch XCKN - cat's whisker - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2108G11	Limit switch XCKN spring lever 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2108P20	Limit switch XCKN spring lever 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2108P20C	Limit switch XCKN - spring rod lever nitrile boot - 1NC+1NO - snap M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118G11S26	LIMIT SWITCH XCKN TWO ROLLER LEVER 1 NC 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118G11S37	LIMIT SWITCH PLASTIC NO AND NC HD PLAST INV 12 MM ROLLER LEV CAB IP67	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118P20S98	LIMIT SWITCH SPECIAL ORIENT ROLLER LEVER	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2118P20TQ	Limit switch XCKN - thermoplastic roller lever - 1NC+1NO - snap - M20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2139G11	LIMIT SWITCH PLASTIC 1NC1NO SNAP ACTION PG11 PLASTIC ROLLER LEVER 50	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2139P20	LIMIT SWITCH PLASTIC 1NC1NO SNAP ACTION ISO20 PLASTIC ROLLER LEVER 50	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2145P16	LIMIT SWITCH PLASTIC NO AND NC PLASTIC VARIABLE ROLLER LEVER	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2149G11	Limit switch XCKN adjustable roller lever and 50 mm 1 NC and 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2149P20S64	IDP ADJUSTABLE ELASTOMER ROLLER LEVER DIAMETER 50 MM 1 NC AND 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2506G11	Limit switch XCKN cat s whisker 1NC and 1NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2518G11	Limit switch XCKN roller lever 1NC and 1NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd
XCKN2518P20	Limit switch XCKN roller lever 1NC and 1NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd

#### TMS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCKN2539G11	LIMIT SWITCH PLASTIC 1NC1NO SLOW BREAK PG11 PLASTIC ROLLER LEVER 50 M	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2539G110R	LIMIT SWITCH PLASTIC 1NC 1NO SB PLASTIC ROLLER LEVER DIA50 ORIENT PG11	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2545P20	Limit switch XCKN adjustable roller lever 1NC and 1NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2549L3SCQ	IDP - ADJUSTABLE ELASTOMER – ROLLER LEVER	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2549P20	Limit switch XCKN adjustable roller lever and 50 mm 1NC and 1NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2549P20S64	IDP ADJUSTABLE ELASTOMER ROLLER LEVER DIAMETER 50 MM 1 NC 1 NO	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2718P20	LS 2NC SLOW BRAKE ROLL LEVER P20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2739G11	LS 2NC SLOW ROLL LEVER 50 ISO20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2818P20	LIMIT SWITCH NO AND NO SB PLASTIC ROLLER LEVER	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2918P20	LS 2NC SNAP ROLL LEVER ISO20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2945G11	LS 2NC SNAP VARIAB ROLL LEVER PG11	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2945P20	LS 2NC SNAP VARIAB ROLL LEVER ISO20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2949P20	LS 2NC SNAP VARIAB ROLL LEVER 50 ISO20	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN415979	LIMIT SWITCH PLASTIC NC NO SLOW PLASTIC ROLLER LEVER SPECIF	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2118P20SIG	LIMIT SWITCH NO NC SNAP ACTION REVERSED ROLL LEVER HEAD 180° SPECIAL CABLING	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2118P16FR	LIMIT SWITCH NCNO SPECIAL DIRECTED HEAD	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2518P20SH5	LS NO NC SLOW BRAKE REVERSED ROLL LEVER P20 ROT HEAD 270° ROT LEVER 315°	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2518P20SH6	LS NO NC SLOW BRAKE REVERSED ROLL LEVER P20 ROT HEAD 90° ROT LEVER 45°	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2518P20SH7	LS NO NC SLOW BRAKE REVERSED ROLL LEVER P20 ROT HEAD 270° ROT LEVER 0°	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2518P20SH8	LS NO NC SLOW BRAKE REVERSED ROLL LEVER P20 ROT HEAD 90° ROT LEVER 0°	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2518P20SH9	LS NO NC SLOW BRAKE REVERSED ROLL LEVER P20 ROT HEAD 0° ROT LEVER 0°	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2739G11LC	LIMIT SWITCH PLASTIC NO AND NC HEAD TO 180° ELASTOROLLER LEVER TO 45°	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2739G11LU	LIMIT SWITCH PLASTIC NO AND NC HEAD TO 180° thermoplastic ROLLER LEVER	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2539G11FF	LIMIT SWITCH PLASTIC NO AND NC SLOW BRK	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2539G11RF	LIMIT SWITCH PLASTIC NO AND NC SLOW BRK	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2739G11FF	LIMIT SWITCH PLASTIC NC AND NC SLOW BRK	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2739G11RF	LIMIT SWITCH PLASTIC NC AND NC SLOW BRK	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2918P20SBN	LIMIT SWITCH PLASTIC NC AND NC	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2139P20SA3Q	LIMIT SWITCH PLASTIC NO AND NC	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
XCKN2118G11SDX	LIMIT SWITCH PLASTIC NO AND NC HD PLAST	77e3e54b-6eff-4498-8f6e-9120a5c66bcd	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
<b>SvHC Content</b>	<b>CAS Number</b>	<b>EC Number</b>	<b>Specific Safe Condition of Use</b>
Lead	7439-92-1	231-100-4	None

#### TMSS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

Commercial References	Description	SCIP ID	
XCKN2101P16	LIMIT SWITCH PLASTIC NO AND NC AND ROLLER LEVER	-	
XCKN2110P20C	limit switch XCKN - metal end plunger - 1NC+1NO - snap - M20	-	
XCKN2154P20	LIMIT SWITCH PLASTIC NO AND NC WITH ROTARY HEAD AND SQUARE ROD LEVER	-	
XCKN438298001	LIMIT SWITCH PLAST 1NC 1NO SNAP PLAST ROLLER LEVER PG11 STAINLESS STE	-	
XCKN2518P20SHC	LS NO NC SLOW BRAKE P20 WITHOUT ROLL LEVER ROT HEAD 180°	-	
XCKN2518P20SHE	LS NO NC SLOW BRAKE P20 WITHOUT ROLL LEVER ROT HEAD 0°	-	
XCKN2718P20SHB	LS 2NC SLOW BRAKE P20 WITHOUT ROLL LEVER ROT HEAD 90°	-	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
None	None	None	None

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France