

Date: 19/05/2025

Object: Telemecanique_Sensors_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XS4P30NA340	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PA340	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12MA230	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18MA230	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18MA230L2	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MA230	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MB230	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PA340	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12NA9CXTQ	DETECTOR 6M CABLE GREEN LED	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PA340L1	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PA370L1	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PA340	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08NB340	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PA340L1	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PA340L2	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PA340P1	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PA370E1	PROXIMITY DETECTOR	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PA370L1	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P08PC410	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12MB230	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12NA340	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PA340	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PA340P1	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PA370	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PA370L2	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PB340	Inductive sensor XS4 cylindrical M12 Sn 4 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P12PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M12 SN 4 MM CABLE 2M	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18MA230L1	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18MB230	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18MB230L1	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18NA340	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PA340L1	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PA370	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PA370E1	PROXIMITY DETECTOR	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PA370L1	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PA370L2	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PB340L1	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH 5M CA	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PB370E1	PROXIMITY DETECTOR	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PB370L1	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P18PB370L2	Inductive sensor XS4 cylindrical M18 Sn 8 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MA230L1	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MA230L2	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MA230L1	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MA230L2	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MB230L1	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 5m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30MB230L2	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PA340L2	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PA340P1	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PA370	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PA370L2	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 10m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PA370L5	Proximity switch IND	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PB340	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PB370	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b
XS4P30PB370L2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3WIRES NON FLUSH 10M	7b746c25-a705-4736-a685-69d3441bd86b

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS4P30PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M30 SN 15 MM CABLE 2M	7b746c25-a705-4736-a685-69d3441bd86b	
XS4P08MA230	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b	
XS4P08MB230	Inductive sensor XS4 cylindrical M8 Sn 2.5 mm cable 2m	7b746c25-a705-4736-a685-69d3441bd86b	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

Commercial References	Description	SCIP ID	
XS4P30AB9D2	Inductive proximity sensors XS, inductive sensor XS4 M30, L53mm, PBT, Sn15mm, 12..24VDC, Cable 6m, Molex connector	c101ffc0-20e4-4def-8e16-bfab440a0316	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (Cresol)	119-47-1	204-327-1	None

Commercial References	Description	SCIP ID
XS4P18PA340D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P12KP340D	Inductive sensor XS4 cylindrical M12 Sn 4mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P12MA230K	Inductive sensor XS4 cylindrical M12 Sn 4mm and connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P12NA340D	Inductive sensor XS4 cylindrical M12 Sn 4mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P12PA340D	Inductive sensor XS4 cylindrical M12 Sn 4mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P12PA370D	Inductive sensor XS4 cylindrical M12 Sn 4mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P12PC410D	Inductive sensor XS4 cylindrical M12 Sn 4mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18AB120M12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC 4 20MA NON FLUSH WITH M12	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18KP340D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18MA230K	Inductive sensor XS4 cylindrical M18 Sn 8mm and connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18MB230K	Inductive sensor XS4 cylindrical M18 Sn 8mm and connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18NA340D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18NB340D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18PA370D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18PB370D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18PC410D	Inductive sensor XS4 cylindrical M18 Sn 8mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30KP340D	Inductive sensor XS4 cylindrical M30 Sn 15 mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30MA230K	Inductive sensor XS4 cylindrical M30 Sn 15 mm and connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30PA340D	Inductive sensor XS4 cylindrical M30 Sn 15 mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30PA370D	Inductive sensor XS4 cylindrical M30 Sn 15 mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30PB370D	Inductive sensor XS4 cylindrical M30 Sn 15 mm M12 connector	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30AB120SE7	INDUCTIVE SENSOR CYLIND M30 12 24V DC	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P30AB9E8	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V	c101ffc0-20e4-4def-8e16-bfab440a0316
XS4P18AB120	Inductive sensor XS4 cylindrical M18 Sn 0.8 to 8 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P12AB120	Inductive sensor XS4 cylindrical M12 Sn 0.4 to 4 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18AB110	Inductive sensor XS4 cylindrical M18 Sn 0.8 to 8 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P12AB110	Inductive sensor XS4 cylindrical M12 Sn 0.4 to 4 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P12AB120L1	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC ANALOGICAL	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P12KP340	Inductive sensor XS4 cylindrical M12 Sn 4mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P12KP340L1	Inductive sensor XS4 cylindrical M12 Sn 4mm cable 5m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18AB110L1	PROXIMITY SWITCHES	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18AB120L1	DDPI ANALOGIC M18 SN=8MM 10-38V DC 4- 20MA	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18AB120L2	PROXIMITY DETECTOR	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18AB9DV	PROXIMITY SWITCHES	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18KP340	Inductive sensor XS4 cylindrical M18 Sn 8mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18KP340L1	Inductive sensor XS4 cylindrical M18 Sn 8mm cable 5m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P18PC410	INDUCTIVE SENSOR XS4 CYLINDRICAL M18 SN 8 MM CABLE 2M	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58
XS4P30AB110	Inductive sensor XS4 cylindrical M30 Sn 1.5 to 15 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58

TMS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS4P30AB120	Inductive sensor XS4 cylindrical M30 Sn 1.5 to 15 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58	
XS4P30KP340	Inductive sensor XS4 cylindrical M30 Sn 15 mm cable 2m	cb8c3f61-4e0c-49c0-b1a3-36175ad1bc58	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclohexasiloxane(D6)	540-97-6	208-762-8	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France