

Date: 19/05/2025

Object: Telemecanique\_Sensors\_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON  
Head of Telemecanique Sensors PBU  
YAGEO Group

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XS8D1A1PAM12	Inductive sensor XS8 form D flat Sn 60 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAP01M12	INDUCTIVE SENSOR FLAT FORM E 12V 24 VDC PNP NO 3 WIRES FLUSH PUR CAB	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PAL2	Inductive sensor XS7 form C flat Sn 15 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PAM8	Inductive sensor XS7 form C flat Sn 15 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8C1A1PAM8	Inductive sensor XS8 form C flat Sn 25 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8C1A1PAL01M12	Inductive sensor XS8 form C flat Sn 25 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8C1A1MAL01U20	Inductive sensor XS8 form C flat Sn 25 mm precabled and 20UNF connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9E111A2L2	Inductive sensor XS9 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL01M12	Inductive sensor XS7 form E flat Sn 10 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2	Inductive sensor XS7 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAM8	Inductive sensor XS7 form E flat Sn 10 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAM8TF	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3WIRES FLUSH SN 10MM M8 CONNEC TF	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8E1A1PAM8	Inductive sensor XS8 form E flat Sn 15 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8E1A1MAT02SF3	INDUCTIVE SENSOR XS8 FORM E FLAT NO SN15 23CM RAILWAY CABLE HYPERTAC CON BRACKET	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8D1A1MAU20	Inductive sensor XS8 form D flat Sn 60 mm and connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1NAL2	Inductive sensor XS7 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PBL4SBQ	NAEHERUNGSSCH IND FE NC PNP 3L 4M MEDIKA	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7D1A3CAM12DIN	Inductive proximity sensors XS, inductive sensor XS7 80x80x26, PBT, Sn50mm, 10...48 VDC, M12	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8D1A1PAM12DIN	Inductive sensor XS8 form DIN D flat Sn 60 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8D1A1PBM12	Inductive sensor XS8 form D flat Sn 60 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9E111A1L01M12	Inductive sensor XS9 form E flat Sn 10 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9E111A1L2	Inductive sensor XS9 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9E111A2L5	Inductive proximity sensors XS, inductive sensor XS9 26x26x13, PBT, Sn10mm, 24 VDC, cable 5 m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8D1A1MAU20DIN	Inductive sensor XS8 form DIN D flat Sn 60 mm and connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8D1A1MBU20	Inductive sensor XS8 form D flat Sn 60 mm and connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9E111RPL01M12	Inductive sensor XS9 form E flat Sn 10 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9E111RMBL01U20	Inductive sensor XS9 form E flat Sn 10 mm precabled and connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1DAL10	Inductive sensor XS7 form C flat Sn 15 mm cable 10m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1DAL2	Inductive sensor XS7 form C flat Sn 15 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1DAL5	Inductive sensor XS7 form C flat Sn 15 mm cable 5m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1DAM8	Inductive sensor XS7 form C flat Sn 15 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1DBL01M12	Inductive sensor XS7 form C flat Sn 15 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1NBL2	Inductive sensor XS7 form C flat Sn 15 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1NBM8	Inductive sensor XS7 form C flat Sn 15 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1NAL2SER	INDUCTIVE SENSOR FLAT FORM E 12 24VDC NPN NO 3W FLUSH O,48M CAB MOLEX FEMALE	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PAL01M12	Inductive sensor XS7 form C flat Sn 15 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PAL5	Inductive sensor XS7 form C flat Sn 15 mm cable 5m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PBL2	Inductive sensor XS7 form C flat Sn 15 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PBL5	Inductive sensor XS7 form C flat Sn 15 mm cable 5m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7C1A1PBM8	Inductive sensor XS7 form C flat Sn 15 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7D1A1DAM12	Inductive sensor XS7 form D flat Sn 40 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7D1A1PAM12	Inductive sensor XS7 form D flat Sn 40 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7D1A1PBM12	Inductive sensor XS7 form D flat Sn 40 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1CAL01M12	Inductive sensor XS7 form E flat Sn 10 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b

**TMS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS7E1A1DAL01M12	Inductive sensor XS7 form E flat Sn 10 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1DAL2	Inductive sensor XS7 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1NBL2	Inductive sensor XS7 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1NBLM12TF	INDUCTIVE SENSOR COLD FORM E FLAT SN10MM PRECABLED 10CM M12 CONNECTOR	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SD3	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3WIRES FLUSH CABLE 1,63M C MOLEX	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDR	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 1,98M CABLE MOLEX CONN	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDU	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,08M CAB MOLEX CON MALE	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDV	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,24M CAB MOLEX CON MALE	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDW	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,30M CAB MOLEX CON FEM	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDX	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,53M CAB MOLEX CON FEM	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDY	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,37M CAB MOLEX CON FEM	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SDZ	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,40M CAB MOLEX CON FEM	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SE1	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,08M CAB MOLEX CON FEM	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SEP	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,16M CAB MOLEX FEMALE	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL2SET	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NO 3W FLUSH 0,65M CAB MOLEX FEMALE	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL3SBQ	Proximity sensors IND FE NO PNP 3L 3M MEDIKAB	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PAL5	Inductive sensor XS7 form E flat Sn 10 mm cable 5m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PBL01M12	Inductive sensor XS7 form E flat Sn 10 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PBL2	Inductive sensor XS7 form E flat Sn 10 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PBL2SES	INDUCTIVE SENSOR FLAT FORM E 12 24VDC PNP NC 3W FLUSH 1,57M CAB MOLEX FEMALE	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PBM8	Inductive sensor XS7 form E flat Sn 10 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS7E1A1PBP01M12	INDUCTIVE SENSOR FLAT FORM E 12V 24 VDC PNP NC 3 WIRES FLUSH PUR CAB	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9C11RMBL01U20	Inductive sensor XS9 form C flat Sn 15 mm precabled and connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8C1A1PBM8	Inductive sensor XS8 form C flat Sn 25 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8E1A1PBM8	Inductive sensor XS8 form E flat Sn 15 mm M8 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8C1A1NAL01M12	Inductive sensor XS8 form C flat Sn 25 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8E1A1PAL01M12	Inductive sensor XS8 form E flat Sn 15 mm precabled M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8C1A1MBL01U20	Inductive sensor XS8 form C flat Sn 25 mm precabled and 20UNF connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8E1A1MAL01U20	Inductive sensor XS8 form E flat Sn 15 mm precabled and 20UNF connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8E1A1MBL01U20	Inductive sensor XS8 form E flat Sn 15 mm precabled and 20UNF connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9C111A2L2	Inductive sensor XS9 form C flat Sn 15 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9C111A1L2SEW	INDUCTIVE SENSOR XS9 SHAPE C FLAT SN 15 MM SHIELDED FLEX CABLE 2M	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9D111A2M12	Inductive sensor XS9 form D flat Sn 40 mm M12 connector	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS9C111A1L2	Inductive sensor XS9 form C flat Sn 15 mm cable 2m	c2ab1e4c-446b-4ad3-8b8d-97abaa741f2b
XS8D1A1MAL2	Inductive sensor XS8 form D flat Sn 60 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966
XS8D1A1PAL2	Inductive sensor XS8 form D flat Sn 60 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966
XS8D1A1PBL10	Inductive sensor XS8 form D flat Sn 60 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966
XS8E1A1PAL2	Inductive sensor XS8 form E flat Sn 15 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966
XS8D1A1MBL2	Inductive sensor XS8 form D flat Sn 60 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966
XS8C1A1MAL2	Inductive sensor XS8 form C flat Sn 25 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966
XS8D1A1PBL2	Inductive sensor XS8 form D flat Sn 60 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966

**TMS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS8C1A1MBL2	Inductive sensor XS8 form C flat Sn 25 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1NAL2	Inductive sensor XS8 form C flat Sn 25 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1PAL10	Inductive sensor XS8 form C flat Sn 25 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1PAL2	Inductive sensor XS8 form C flat Sn 25 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1PAL5	Inductive sensor XS8 form C flat Sn 25 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1PBL2	Inductive sensor XS8 form C flat Sn 25 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1NAL2	Inductive sensor XS8 form D flat Sn 60 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1PAL10	Inductive sensor XS8 form D flat Sn 60 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1PAL5	Inductive sensor XS8 form D flat Sn 60 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1NAL2	Inductive sensor XS8 form E flat Sn 15 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1NBL2	Inductive sensor XS8 form E flat Sn 15 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1PAL10	Inductive sensor XS8 form E flat Sn 15 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1PBL2	Inductive sensor XS8 form E flat Sn 15 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1MAL10	Inductive sensor XS8 form C flat Sn 25 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS8C1A1MBL5	Inductive sensor XS8 form C flat Sn 25 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1MAL10	Inductive sensor XS8 form D flat Sn 60 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1MAL5	Inductive sensor XS8 form D flat Sn 60 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1MBL10	Inductive sensor XS8 form D flat Sn 60 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS8D1A1MBL5	Inductive sensor XS8 form D flat Sn 60 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1MAL2	Inductive sensor XS8 form E flat Sn 15 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1MBL2	Inductive sensor XS8 form E flat Sn 15 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1DAL2	Inductive sensor XS7 form D flat Sn 40 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1NAL2	Inductive sensor XS7 form D flat Sn 40 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1PAL2	Inductive sensor XS7 form D flat Sn 40 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1PAL5	Inductive sensor XS7 form D flat Sn 40 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1PBL10	Inductive sensor XS7 form D flat Sn 40 mm cable 10m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1DAL5	Inductive sensor XS7 form D flat Sn 40 mm cable 5m	7e812da3-35cc-483c-bd1e-978585691966	
XS7D1A1DBL2	Inductive sensor XS7 form D flat Sn 40 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
XS8E1A1PBL2TF	Inductive proximity sensors XS, inductive sensor XS8 26x26x13, PBT, Sn15mm, 12...24 VDC, cable 2 m	7e812da3-35cc-483c-bd1e-978585691966	
XS9D111A2L10	Inductive proximity sensors XS, inductive sensor XS9 80x80x26, PBT, Sn40mm, 24 VDC, cable 10 m	7e812da3-35cc-483c-bd1e-978585691966	
XS9D111A2L2	Inductive sensor XS9 form D flat Sn 40 mm cable 2m	7e812da3-35cc-483c-bd1e-978585691966	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclohexasiloxane(D6)	540-97-6	208-762-8	None

#### TMSS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France