

Date: 19/05/2025

Object: Telemecanique_Sensors_Products REACh declaration (REACh: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACh regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XUB0BPSNM12	Photoelectric sensor universal Sn 0 to 15 m NO or NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB0BPSNL2	Photoelectric sensor universal Sn 0 to 15 m NO or NC cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPANM12	Photoelectric sensor diffuse Sn 0.6 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPANM12	Photoelectric sensor polarised reflex Sn 2 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPANM12R	Photoelectric sensor thrubeam Sn 15 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB2BKSNM12T	Photoelectric sensor XUB thrubeam Sn 15 m M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPANM12	Photoelectric sensor reflex Sn 4 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPANL2	Photoelectric sensor diffuse Sn 0.6 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB0BNSNM12	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB0BPSNL5	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 5M	eb0409ce-51da-49ec-88c0-254199630553
XUB0BNSNL2	PHOTOELECTRIC SENSOR UNIVERSAL SN 0 TO 15 M NO OR NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPANM12	Photoelectric sensor diffuse Sn 0.1 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPANL2	Photoelectric sensor reflex Sn 4 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPANL2	Photoelectric sensor polarised reflex sn 2 m no cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB2BKSNL2T	Photoelectric sensor XUB thrubeam Sn 15 m cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPANL2R	Photoelectric sensor thrubeam Sn 15 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB5BNANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPANL2	Photoelectric sensor diffuse Sn 0.1 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPBNL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPANL5	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 5M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPBNL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPANL5	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 5M	eb0409ce-51da-49ec-88c0-254199630553
XUB0BKSNL2T	PHOTOELECTRIC SENSOR XUB THRU BEAM SN 15 M CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUBLBPCNL2	PHOTO SENSOR CYLIN METAL LASER THRU BEAM 12 24V DC PNP NONC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPANL5	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 5M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPAWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BNANL2	Photoelectric sensor reflex Sn 4 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPAWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPBNL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUBLBPCNL2R	RECEIVER CYLINDRIC METAL LASER THRU BEAM 12 24V DC PNP CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUBLBKCNL2T	TRANSMITTOR CYLIND METAL LASER THRU BEAM 12 24V DC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB2BNANL2R	Photoelectric sensor thrubeam Sn 15 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPAWL2	Photoelectric sensor diffuse Sn 0.1 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB2BKSWL2T	Photoelectric sensor XUB thrubeam Sn 15 m cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB9BNANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPAWL2R	Photoelectric sensor thrubeam Sn 15 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB4BNANL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPBWL2R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BNAWL2	Photoelectric sensor reflex Sn 4 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB5BNAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB4BNBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPBWL2	Photoelectric sensor diffuse Sn 0.6 m NC cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB2BNAWL2R	Photoelectric sensor thrubeam Sn 15 m NO cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB5BNBNL2	Photoelectric sensor diffuse Sn 0.6 m NC cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB1BNBNL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPBNL5	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 5M	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPBWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC CABLE 2M	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPBWL2	Photoelectric sensor diffuse Sn 0.1 m NC cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB9BNBNL2	Photoelectric sensor polarised reflex Sn 2 m NC cable 2m	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPAWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPBWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB0BKSNM12T	Photoelectric sensor XUB thrubeam Sn 15 m M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUBLBPCNM12	PHOTO SENSOR CYLIN METAL LASER THRU BEAM 12 24V DC PNP NONC CONNECT M	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPBNM12	Photoelectric sensor diffuse Sn 0.6 m NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPBNM12	Photoelectric sensor reflex Sn 4 m NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB9BPBNM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPBWM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPBNM12R	Photoelectric sensor thrubeam Sn 15 m NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB5BNANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB2BKSWM12T	Photoelectric sensor XUB thrubeam Sn 15 m M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB1BNANM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB2BPAWM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB5BNBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUBLBKCNM12T	TRANSMITTOR CYLIND METAL LASER THRU BEAM 12 24V DC CONNECT M12	eb0409ce-51da-49ec-88c0-254199630553
XUB1BPBWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB9BNAWM12	Photoelectric sensor polarised reflex Sn 2 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB2BNANM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB1BNBNM12	Photoelectric sensor reflex Sn 4 m NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB9BNANM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUBLBPCNM12R	RECEIVER CYLINDRIC METAL LASER THRU BEAM 12 24V DC PNP CONNECT M12	eb0409ce-51da-49ec-88c0-254199630553
XUB9BNBNM12	Photoelectric sensor polarised reflex Sn 2 m NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB4BNANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUBLBNCNM12	PHOTO SENSOR CYLIN METAL LASER THRU BEAM 12 24V DC NPN NONC CONNECT M	eb0409ce-51da-49ec-88c0-254199630553
XUB2BNBNM12R	PHOTOELECTRIC SENSOR THRU BEAM SN 15 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPBWM12	Photoelectric sensor diffuse Sn 0.6 m NC M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB5BNAWM12	Photoelectric sensor diffuse Sn 0.6 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB4BPBWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB5BPANP5	PHOTOELECTRIC SENSOR CYLINDRICAL M18 ADJUST PROX 12 24V DC 3W PNP NO 5M CABLE	eb0409ce-51da-49ec-88c0-254199630553
XUB4BNAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB1BNAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	eb0409ce-51da-49ec-88c0-254199630553
XUB2BNAWM12R	Photoelectric sensor thrubeam Sn 15 m NO M12 connector	eb0409ce-51da-49ec-88c0-254199630553
XUB5APANL2	Photoelectric sensor diffuse Sn 0.6 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0APSNL2	Photoelectric sensor universal Sn 0 to 15 m NO or NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0APSNM12	Photoelectric sensor universal Sn 0 to 15 m NO or NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANANL2	Photoelectric sensor diffuse Sn 0.6 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2AKSNL2T	Photoelectric sensor XUB thrubeam Sn 15 m cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APANM12	Photoelectric sensor diffuse Sn 0.6 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APANM12	Photoelectric sensor polarised reflex Sn 2 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APANM12	Photoelectric sensor reflex Sn 4 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APANL2R	Photoelectric sensor thrubeam Sn 15 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APANL2	Photoelectric sensor reflex Sn 4 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APANL2R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APBNL2R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBT1PSNM12	PHOTO SENSOR CYL PLAST MAT TRANS OEM 12 24 V DC PNP NONC CONNECT M12	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0SPSNM12	PHOTOELECTRIC SENSOR CYLINDRICAL M18 OSICONCEPT 12 24V DC 3WIRES PNP	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0SPSNL2	PHOTOELECTRIC SENSOR CYLINDRICAL M18 OSICONCEPT 12 24V DC 3WIRES PNP	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0ANSNL2	Photoelectric sensor universal Sn 0 to 15 m NO or NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0SNSNL2	PHOTOELECTRIC SENSOR CYLINDRICAL M18 OSICONCEPT 12 24V DC 3WIRES NPN	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0ANSNM12	Photoelectric sensor universal Sn 0 to 15 m NO or NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANANL2	Photoelectric sensor diffuse Sn 0.1 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APANL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBNM12	Photoelectric sensor polarised reflex Sn 2 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0SKSNL2T	PHOTOELECTRIC SENSOR CYLINDRICAL M18 THRU BEAM TRANSMIT 12 24V DC 2M C	17cc47f4-0944-460f-8322-fe79d22cba3b

TMS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB4APANL2	Photoelectric sensor diffuse Sn 0.1 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANANL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBNL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APANL5	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 5M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBNL2	Photoelectric sensor reflex Sn 4 m NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0AKSNL2T	Photoelectric sensor XUB thrubeam Sn 15 m cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBNL2R	Photoelectric sensor thrubeam Sn 15 m NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBTAPSNL2	PHOTO SENSOR CYL PLAST MAT TRANS 12 24 V DC PNP NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANANL2R	Photoelectric sensor thrubeam Sn 15 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APANL5	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 5M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APANL5	Photoelectric sensor diffuse Sn 0.1 m NO cable 5m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBNL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBNL2	Photoelectric sensor reflex Sn 4 m NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANANL5R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 5M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANAWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBLAPCNL2	PHOTO SENSOR CYLIN PLAST LASER THRU BEAM 12 24V DC PNP NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANBNL2R	Photoelectric sensor thrubeam Sn 15 m NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBNL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANANL2	Photoelectric sensor polarised reflex Sn 2 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2AKSNL5T	Photoelectric sensor XUB thrubeam Sn 15 m cable 5m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APAWL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2AKSWL2T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBTAPSWL2	PHOTO SENSOR CYL PLAST MAT TRANS 12 24 V LATER DC PNP NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APANL5R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO CABLE 5M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBTANSNL2	PHOTO SENSOR CYL PLAST MAT TRANS 12 24 V DC NPN NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APAWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBWL2R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBLANCNL2	PHOTO SENSOR CYLIN PLAST LASER THRU BEAM 12 24V DC NPN NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APAWL2	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBWL2	Photoelectric sensor reflex Sn 4 m NC cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBNL8	PHOTOELECTRIC SENSOR CYLINDRICAL M18 REFLEX 12 24V DC 3WIRES NPN NC 8	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANAWL2	Photoelectric sensor diffuse Sn 0.1 m NO cable 2m	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANAWL2	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANAWL2R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBWL2R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APANM12	Photoelectric sensor diffuse Sn 0.1 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBWL2R1	DDPP M18 PROX=0.6M PNP NC PROXIMATE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANAWL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBWL2R1	DDPP M18 REFL POLARISE=2M POLARISE NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANANL2R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBNL2R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APANL2R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APAWL2R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBNL2R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBWL2R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANANL2R1	DDPP M18 BARRAGE NPN NO RECEPTEUR NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANAWL2R1	DDPP M18 BARRAGE NPN NO RECEPTEUR NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANBNL2R1	DDPP M18 BARRAGE NPN NC RECEPTEUR NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANBWL2R1	DDPP M18 BARRAGE NPN NC RECEPTEUR NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APANL2R1	DDPP M18 BARRAGE PNP NO RECEPTEUR NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APAWL2R1	DDPP M18 BARRAGE PNP NO RECEPTEUR NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBNL2R1	DDPP M18 BARRAGE PNP NC RECEPTEUR NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b

TMS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB2APBWL2R1	DDPP M18 BARRAGE PNP NC RECEPTEUR NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANANL2R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANAWL2R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANBNL2R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANBWL2R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APAWL2R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APBWL2R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANANL2R1	DDPP M18 PROX=0.6M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANAWL2	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANBNL2R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANBWL2R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APANL2R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APAWL2R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBNL2R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANANL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBNL2R1	DDPP M18 REFL POLARISE=2M POLARISE NC	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APANL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APAWL2R1	DDPP M18 REFL POLARISE=2M POLARISE NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBNL2R1	DDPP M18 REFL POLARISE=2M POLARISE NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBT5NSNL2	PHOTO SENSOR CYL METAL MAT TRANS 12 24 V DC NPN NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUBT5PSNL2	PHOTO SENSOR CYL METAL MAT TRANS 12 24 V DC PNP NONC CABLE 2M	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APANM12R	Photoelectric sensor thrubeam Sn 15 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2AKSNM12T	Photoelectric sensor XUB thrubeam Sn 15 m M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANANM12	Photoelectric sensor polarised reflex Sn 2 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APAWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBNM12R	Photoelectric sensor thrubeam Sn 15 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0AKSNM12T	Photoelectric sensor XUB thrubeam Sn 15 m M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBNM12	Photoelectric sensor reflex Sn 4 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANANM12	Photoelectric sensor diffuse Sn 0.6 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APAWM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2AKSWM12T	PHOTOELECTRIC SENSOR XUB THRUBEAM SN 15 M M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APAWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBWM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBNM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANANM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.1 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANBNM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANANM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBWM12	PHOTOELECTRIC SENSOR REFLEX SN 4 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANBNM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANBNM12	Photoelectric sensor diffuse Sn 0.1 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANANM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANBWM12R	Photoelectric sensor thrubeam Sn 15 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBWM12	Photoelectric sensor reflex Sn 4 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBNM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANAWM12R	PHOTOELECTRIC SENSOR THRUBEAM SN 15 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBWM12	Photoelectric sensor diffuse Sn 0.6 m NC M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANAWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB0SKSNM12T	PHOTOELECTRIC SENSOR CYLINDRICAL M18 THRUBEAM TRANSMIT 12 24V DC M12	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANANM12R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANAWM12R1	DDPP M18 REFLEX=4M NPN NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBWM12R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBWM12R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANBNM12R1	DDPP M18 BARRAGE NPN NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBWM12R1	DDPP M18 BARRAGE PNP NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANAWM12R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANBWM12R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APAWM12R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XUB4APBWM12R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANAWM12R1	DDPP M18 PROX=0.6M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANBNM12R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANBWM12R1	DDPP M18 PROX=0.6M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBWM12R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANAWM12R1	DDPP M18 REFL POLARISE=2M POLARISE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBWM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCAB	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANAWM12	Photoelectric sensor reflex Sn 4 m NO M12 connector	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1ANBNM12R1	DDPP M18 REFLEX=4M NPN NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APANM12R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APAWM12R1	DDPP M18 REFLEX=4M PNP NO REFLEX NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB1APBNM12R1	DDPP M18 REFLEX=4M PNP NC REFLEX NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANANM12R1	DDPP M18 BARRAGE NPN NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2ANAWM12R1	DDPP M18 BARRAGE NPN NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APANM12R1	DDPP M18 BARRAGE PNP NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APAWM12R1	DDPP M18 BARRAGE PNP NO R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB2APBNM12R1	DDPP M18 BARRAGE PNP NC R1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANANM12R1	DDPP M18 PROX=0.1M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4ANBNM12R1	DDPP M18 PROX=0.1M NPN NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APANM12R1	DDPP M18 PROX=0.1M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB4APBNM12R1	DDPP M18 PROX=0.1M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANANM12R1	DDPP M18 PROX=0.6M NPN NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5ANAWM12	PHOTOELECTRIC SENSOR DIFFUSE SN 0.6 MNO M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APANM12R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APAWM12R1	DDPP M18 PROX=0.6M PNP NO PROXIMITE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB5APBNM12R1	DDPP M18 PROX=0.6M PNP NC PROXIMITE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANANM12R1	DDPP M18 REFL POLARISE=2M POLARISE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBNM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBWM12	PHOTOELECTRIC SENSOR POLARISED REFLEX SN 2 M NC M12 CONNECTOR	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9ANBWM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APANM12R1	DDPP M18 REFL POLARISE=2M POLARISE NOR1	17cc47f4-0944-460f-8322-fe79d22cba3b
XUB9APBNM12R1	DDPP M18 REFL POLARISE=2M POLARISE NCR1	17cc47f4-0944-460f-8322-fe79d22cba3b

In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.

SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France