

Date: 19/05/2025

Object: Telemecanique_Sensors_Products REACh declaration (REACh: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACh regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: June 2022 candidate list.

Commercial References	Description	SCIP ID	
XUM8APCNM8	PHOTOCELL SENSOR MINIAT BGS 12 24 VDC PNP NONC OUTPUT CONN M8	5fd8e41e-fde4-4962-a659-6b42a9f72b7c	
XUMTAPCNM8	PHOTOCELL SENSOR MINIAT TRANSP 12 24 VDC PNP NONC OUTPUT CONN M8	5fd8e41e-fde4-4962-a659-6b42a9f72b7c	
XUMTANCNM8	PHOTOCELL SENSOR MINIAT TRANSP 12 24 VDC NPN NONC OUTPUT CONN M8	5fd8e41e-fde4-4962-a659-6b42a9f72b7c	
XUM8APCNL03M12	PHOTOCELL SENSOR MINIAT BGS 12 24 VDC PNP NONC OUTPUT REMOTE CONN M12	5fd8e41e-fde4-4962-a659-6b42a9f72b7c	
XUMTAPCNL03M12	PHOTOCELL SENSOR MINIAT TRANSP 12 24 VDC PNP NONC OUTPUT REMOTE CONN	5fd8e41e-fde4-4962-a659-6b42a9f72b7c	
XUM8APCNL2	PHOTOCELL SENSOR MINIAT BGS 12 24 VDC PNP NONC OUTPUT CABLE 2M	60a9d4fa-104c-438e-9a67-2d9b3c9883bd	
XUM8APCNL5	PHOTOCELL SENSOR MINIAT BGS 12 24 VDC PNP NONC OUTPUT CABLE 5M	60a9d4fa-104c-438e-9a67-2d9b3c9883bd	
XUMTAPCNL2	PHOTOCELL SENSOR MINIAT TRANSP 12 24 VDC PNP NONC OUTPUT CABLE 2M	60a9d4fa-104c-438e-9a67-2d9b3c9883bd	
XUMTANCNL2	PHOTOCELL SENSOR MINIAT TRANSP 12 24 VDC NPN NONC OUTPUT CABLE 2M	60a9d4fa-104c-438e-9a67-2d9b3c9883bd	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

Commercial References	Description	SCIP ID	
XUM0AKSAM8T	Photoelectric sensor XUM thru beam Sn 10 m M8 connector	4b5b85db-9049-407b-ba2b-0e07b0ed5413	
XUM0ANSAM8SBN	PHOTOELEC SENSOR MINIATURE TRANSM RECEIV THRU BEAM NPN NO OR NC M8 CONNECTOR	4b5b85db-9049-407b-ba2b-0e07b0ed5413	
XUM0ANSAM8SBP	PHOTOELEC SENSOR MINIATURE REFLEX POLAR NPN NO OR NC M8 CONNECTOR	4b5b85db-9049-407b-ba2b-0e07b0ed5413	
XUM0ANSAM8SBQ	PHOTOELECTRIC SENSOR MINIATURE DIFFUSE NPN NO OR NC M8 CONNECTOR	4b5b85db-9049-407b-ba2b-0e07b0ed5413	
XUM0APSAM8SBN	PHOTOELEC SENSOR MINIATURE TRANSM RECEIV THRU BEAM PNP NO OR NC M8 CONNECTOR	4b5b85db-9049-407b-ba2b-0e07b0ed5413	
XUM0APSAM8SBQ	PHOTOELECTRIC SENSOR MINIATURE DIFFUSE PNP NO OR NC M8 CONNECTOR	4b5b85db-9049-407b-ba2b-0e07b0ed5413	
XUM0AKSAL2T	Photoelectric sensor XUM thru beam Sn 10 m cable 2m	60a9d4fa-104c-438e-9a67-2d9b3c9883bd	
XUM0ANSAL2SBN	PHOTOELEC SENSOR MINIATURE TRANSM RECEIV THRU BEAM NPN NO OR NC 2M CABLE	bb45f249-8531-425d-b9b4-2bf8b2bf7102	
XUM0ANSAL2SBP	PHOTOELEC SENSOR MINIATURE REFLEX POLAR NPN NO OR NC 2M CABLE	bb45f249-8531-425d-b9b4-2bf8b2bf7102	
XUM0ANSAL2SBQ	PHOTOELECTRIC SENSOR MINIATURE DIFFUSE NPN NO OR NC 2M CABLE	bb45f249-8531-425d-b9b4-2bf8b2bf7102	
XUM0APSAL2SBN	PHOTOELEC SENSOR MINIATURE TRANSM RECEIV THRU BEAM PNP NO OR NC 2M CABLE	bb45f249-8531-425d-b9b4-2bf8b2bf7102	
XUM0APSAL2SBQ	PHOTOELECTRIC SENSOR MINIATURE DIFFUSE PNP NO OR NC 2M CABLE	bb45f249-8531-425d-b9b4-2bf8b2bf7102	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclohexasiloxane(D6)	540-97-6	208-762-8	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

Commercial References	Description	SCIP ID
XUM9APXBM8	PHOTOCELL MINIATURE REFLEX POLAR PNP NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM8APXBM8	PHOTOCELL SENSOR MINIAT BGS PNP NONC CONNETOR M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM2APXBM8	PHOTOCELL EMIT RECEIV MINIATURE THRU BEAM PNP NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM5APXBM8	PHOTOCELL MINIATURE PROX 1M PNP NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM2ANXBM8	PHOTOCELL EMIT RECEIV MINIATURE THRU BEAM NPN NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM6APXBM8	PHOTOCELL MINIATURE PROX 500MM PNP NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM5ANXBM8	PHOTOCELL MINIATURE PROX 1M NPN NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM6ANXBM8	PHOTOCELL MINIATURE PROX 500MM NPN NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM4APXBM8	PHOTOCELL MINIATURE PROX 100MM PNP NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM9ANXBM8	PHOTOCELL MINIATURE REFLEX POLAR NPN NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM8ANXBM8	PHOTOCELL SENSOR MINIAT BGS NPN NONC CONNETOR M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM4ANXBM8	PHOTOCELL MINIATURE PROX 100MM NPN NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM2ANXBM8R	PHOTOCELL RECEIV MINIATURE THRU BEAM NPN NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM2APXBM8R	PHOTOCELL RECEIV MINIATURE THRU BEAM PNP NO NC CONNECT M8 24V	266bf18c-6bab-43a7-a15b-f48a085655c3
XUM2APXBL2	PHOTOCELL EMIT RECEIV MINIATURE THRU BEAM PNP NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM9APXBL2	PHOTOCELL MINIATURE REFLEX POLAR PNP NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM9ANXBL2	PHOTOCELL MINIATURE REFLEX POLAR NPN NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM8APXBL2	PHOTOCELL SENSOR MINIAT BGS PNP NONC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM5APXBL2	PHOTOCELL MINIATURE PROX 1M PNP NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM8ANXBL2	PHOTOCELL SENSOR MINIAT BGS NPN NONC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM2ANXBL2	PHOTOCELL EMIT RECEIV MINIATURE THRU BEAM NPN NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM4APXBL2	PHOTOCELL MINIATURE PROX 100MM PNP NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM6APXBL2	PHOTOCELL MINIATURE PROX 500MM PNP NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM5ANXBL2	PHOTOCELL MINIATURE PROX 1M NPN NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM6ANXBL2	PHOTOCELL MINIATURE PROX 500MM NPN NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM4ANXBL2	PHOTOCELL MINIATURE PROX 100MM NPN NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM2ANXBL2R	PHOTOCELL RECEIV MINIATURE THRU BEAM NPN NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM2APXBL2R	PHOTOCELL RECEIV MINIATURE THRU BEAM PNP NO NC CABLE 2M 24V	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1
XUM2AKXBL2T	PHOTOELECTRIC SENSOR MINIATURE THRU BEAM SN 15M EMITTER CABLE 2M	943f28da-778c-4dfd-b5ea-cc3b7d59bbd1

In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.

SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclohexasiloxane(D6)	540-97-6	208-762-8	None
2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)	3147-75-9	221-573-5	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France