

Date: 19/05/2025

Object: Telemecanique\_Sensors\_Products REACh declaration (REACh: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACh regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON  
Head of Telemecanique Sensors PBU  
YAGEO Group

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID	
XXA18P1PM12	ULTRASONIC SENSOR CYLINDRICAL 90 DEG M18 SN=1M PLASTIC PNP SYNC CONNE	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18B1PM12	ULTRASONIC SENSOR CYLINDRICAL 90 DEG M18 SN=1M METAL PNP SYNC CONNECT	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18P1VM12	ULTRASONIC SENSOR CYL 90 DEG M18 SN=1M PLASTIC ANALOG 0 10V SYNC CONN	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18S1PM12	ULTRASONIC SENSOR CYLINDRICAL 90 DEG M18 SN=1M SS PNP SYNC CONNECTOR	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18P1AM12	ULTRASONIC SENSOR CYL 90 DEG M18 SN=1M PLASTIC ANALOG 4 20MA CONNECTO	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18S1VM12	ULTRASONIC SENSOR CYL 90 DEG M18 SN=1M SS ANALOG 0 10V SYNC CONNECTOR	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18B1AM12	ULTRASONIC SENSOR CYL 90 DEG M18 SN=1M METAL ANALOG 4 20MA SYNC CONNE	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18B1VM12	ULTRASONIC SENSOR CYL 90 DEG M18 SN=1M METAL ANALOG 0 10V SYNC CONNEC	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXA18S1AM12	ULTRASONIC SENSOR CYL 90 DEG M18 SN=1M SS ANALOG 4 20MA SYNC CONNECTO	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18P1AM12	ULTRASONIC SENSOR CYL M18 SN=1M PLASTIC ANALOG 4 20MA SYNC CONNECTOR	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18P1PM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M PLASTIC PNP SYNC CONNECTOR M1	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18S1PM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M SS PNP SYNC CONNECTOR M12	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18B1PM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M METAL PNP SYNC CONNECTOR M12	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18S1AM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M SS ANALOG 4 20MA SYNC CONNECT	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18B1AM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M METAL ANALOG 4 20MA SYNC CONN	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18B1VM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M METAL ANALOG 0 10V SYNC CONNE	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18P1VM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M PLASTIC ANALOG 0 10V SYNC CON	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18S1VM12	ULTRASONIC SENSOR CYLINDRICAL M18 SN=1M SS ANALOG 0 10V SYNC CONNECTO	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS18P1AM12J05	ULTRASONIC SENSOR CYLINDRICAL M18 12 24V SN 1M ANALOG 4-20MA SYNC CON M12	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS30P1AM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 1M 420	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS30P1PM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 1M PNP	006ea85d-e02d-4357-9d88-bd27733ba6a5	
XXS30P1VM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 1M 010	006ea85d-e02d-4357-9d88-bd27733ba6a5	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Lead titanium zirconium oxide (PZT)	12626-81-2	235-727-4	None

Commercial References	Description	SCIP ID
XXA30B1AM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 ANGLED 1M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXA30B1VM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 ANGLED 1M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXA30S1AM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 ANGLED 1M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXA30S1PM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 ANGLED 1M PNP	e8d463fa-156b-4425-af99-926717b76eaf

#### TMSS France and its affiliates

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XXA30S1VM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 ANGLED 1M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXA30S2VM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 ANGLED 2M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXA30B1PM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 ANGLED 1M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXA30B2AM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 ANGLED 2M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXA30B2PM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 ANGLED 2M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXA30B2VM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 ANGLED 2M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXA30P1AM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 ANGLED 1M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXA30P1PM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 ANGLED 1M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXA30P1VM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 ANGLED 1M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXA30P2AM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 ANGLED 2M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXA30P2PM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 ANGLED 2M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXA30P2VM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 ANGLED 2M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXA30S2AM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 ANGLED 2M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXA30S2PM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 ANGLED 2M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P8APM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 8M 4-20mA + PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P8NNM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 8M 2NPN	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P8PPM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 8M 2PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P8VPM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 8M 0-10V + PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P2AM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 2M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B1AM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 1M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B1PM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 1M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B1VM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 1M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B2AM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 2M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B2PM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 2M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B2VM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 2M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B4AM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 4M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B4PM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 4M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30B4VM12	ULTRASONIC SENSOR METAL CYLINDRICAL M30 STRAIGHT 4M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P2PM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 2M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P2VM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 2M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P4AM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 4M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P4PM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 4M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30P4VM12	ULTRASONIC SENSOR PLASTIC CYLINDRICAL M30 STRAIGHT 4M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S1AM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 1M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S1PM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 1M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S1VM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 1M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S2AM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 2M 420	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S2PM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 2M PNP	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S2VM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 2M 010	e8d463fa-156b-4425-af99-926717b76eaf
XXS30S4AM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 4M 420	e8d463fa-156b-4425-af99-926717b76eaf

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XXS30S4PM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 4M PNP	e8d463fa-156b-4425-af99-926717b76eaf	
XXS30S4VM12	ULTRASONIC SENSOR STAINLESS STEEL CYLINDRICAL M30 STRAIGHT 4M 010	e8d463fa-156b-4425-af99-926717b76eaf	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Lead titanium zirconium oxide (PZT)	12626-81-2	235-727-4	None
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (Cresol)	119-47-1	204-327-1	None
2-methylimidazole	693-98-1	211-765-7	None

**TMSS France and its affiliates**

Postal address / Adresse postale :  
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales  
Société par actions simplifiée au capital de 366 931 214 euros  
908 125 255 RCS Nanterre – code APE : 2640Z  
Siret : 90812525500012  
n° ident. TVA : FR 21 908 125 255  
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France